



Electrolux



A Sanitaire® Model SC6080 Commercial Carpet Extractor

Quickly and easily cleans carpets and hard-to-reach areas. High-performance, three-stage motor is powerful enough to clean any size room. 100 psi pump and 9-gallon tank capacity. 137" waterlift suction motor. Automatic suction safety shut-off if unit tips over. Extra-large easy-roll wheels and molded handles for excellent maneuverability. Includes 15-ft. hose and detachable 12" single jet all-steel cleaning wand. 50-ft. power cord. UL Listed for commercial use. Manufacturer's limited one-year parts/labor warranty. Shpg. wt. 125 lbs.

EUR 6080

Each 2232.38

B Sanitaire® Model SC6090 Self-Contained Commercial Carpet Extractor

Entirely self-contained unit combines high-performance two-stage motor and heavy-duty motorized chevron brush for powerful, high-quality deep cleaning. 17" wide cleaning path. Simply press the cleaning solution button to easily dispense cleaning solution with 100 psi pump; 9-gallon tank capacity. Automatic suction safety shut-off if unit tips over. Extra-large, 12" easy-roll wheels and molded handle for mobility. Detachable three-wire, 50-ft. power cord. UL Listed for commercial use. Manufacturer's limited one-year parts/labor warranty. Shpg. wt. 125 lbs.

EUR 6090

Each 2944.48

C Sanitaire® Model SC6070 Spot Cleaner

Perfect for touch-up cleaning of carpets, furniture, stairs and hard-to-reach areas. Powerful two-stage motor with 84" of water lift. 55 psi pump and 1.5-gallon tank capacity. Includes 8-ft. hose and 3" metal upholstery tool with on/off spray lever. Detachable 25-ft. power cord. UL Listed for commercial use. Manufacturer's limited one-year parts/labor warranty. Shpg. wt. 30 lbs.

EUR 6070

Each 755.82

Euroclean

Euroclean

D Kent Klensor™ 16 Self-Contained Carpet Extractor

Single spray jet technology ensures even water and cleaning solution coverage; eliminates uneven cleaning and streaks. 16" cleaning path. Unique, aerodynamically designed vacuum shoe with laminar flow technology increases water pick-up to dry carpets faster. Tool-free vacuum shoe and brush removal. Adjustable handle. 1.5 hp, three-stage vacuum motor and 1/3 hp brush motor for powerful cleaning. 7-gallon solution tank, 5-gallon recovery tank and 60 psi pump. 117" waterlift. Includes built-in utility storage bag. ETL Approved. Manufacturer's three-year parts/one-year labor warranty. Shpg. wt. 118 lbs.

ECL 56265004

Each 2830.76

E SelectSpot™ Carpet Spot Extractor

Perfect to touch-up carpets and hard-to-reach areas like stairs, upholstery and automobile interiors. Includes clear, handheld tool (drip-free) with spray on/off control lever to dispense cleaning solution and vacuum up dirty solution. Recovery tank with 2" threaded drain cap for quick draining and cleaning. Vacuum exhaust uses 3M® Filtrete™ air filter to assure clean air quality. Detachable power cord stores on cart. Built-in carrying handle. 1 hp, 786-watt, two-stage motor. Solution pump has 38 psi solution output. 9-ft. solution hose; 8-ft. recovery hose. Both solution and recovery tank each hold two gallons. Shpg. wt. 35 lbs.

ECL 56220100

Each 959.00





A



Mercury Floor Machines

A PRO-12 12-Gallon Carpet Extractor

Easy-fill 12-gallon detergent solution tank. "Quick-Dump" 12-gallon recovery tank. The powerful solution pump delivers a steady supply of extracting solution to the carpet. Dual high-velocity vacuum motors with over 160" of lift. Powerful water pickup gives faster carpet drying. Motor stays cooler with innovative air flow design. 25-ft. vacuum and solution hoses—clean 600 sq. ft. without moving the extractor. Semi-pneumatic 10" transport wheels for easy stair climbing. Convenient waste-height controls. Strong steel wand with 9" vacuum head and dual spray jets. Manufacturer's five-year warranty on chassis, two years on pumps and motors, one year on tools. MFM PRO-12-100-2

Each 2705.56



B

B PRO-175 Series Super Heavy-Duty Floor Machines

Powerful scrubbing, stripping and polishing at 175 rpm. Safety enhanced interlock switch leaves both hands conveniently in control. Safety enhanced nonconductive dual triggers. 48" tall handle is fully adjustable for all operators. Precision-balanced, 1.5 hp, heavy-duty, 66-frame motor. 15", 17" and 21" size traditional all metal reinforced bell housing aprons. Fast brush mount with a "B" style/92" style brush drive plug. Scrubbing brushes have a 2" smaller block than the buffer size. Pad driver with 1" riser is 1" smaller than buffer size. Separate 50-ft. safety power cable. Motor plugs in at handle base for easy maintenance. Nonmarking retractable 6" wheels for easy transport. Manufacturer's five-year warranty on motor, transmission and chassis.

No.	Apron Size	Shpg. Wt.	Each
MFM PRO-15	15"	96 lbs.	1152.78
MFM PRO-17	17"	102 lbs.	1177.78
MFM PRO-21	21"	105 lbs.	1191.67



Floor Machines



Euroclean

Euroclean

A Razor™ SV17 Automatic Scrubber with Batteries

Lays down cleaning solution, scrubs, then vacuums away dirty solution, leaving floors clean and dry in one pass. Compact enough to clean narrow aisles and limited-size floors. Battery-operated—no stopping to unplug and replug every 50 feet; no cord damage or cord storage problems; no tripping over cords during use. Wraparound handle, on-board battery charger and click-on/click-off scrub heads. Tank cover opens for filling. 30" squeegee. 3.7" front deck height. Both solution and recovery tanks each hold 10.5 gallons, are noncorrosive and impact resistant. Two-stage .68 hp vacuum motor. 170 rpm brush speed. ETL and Warnock Hersey Approved. 20w x 47d x 43h. Shpg. wt. 247 lbs. ECL 56397542

Each 5555.54

Electrolux



SANITAIRE® COMMERCIAL FLOOR MACHINES

Sanitaire® floor machines are available in ½ horsepower, lightweight, compact models to a 1500 rpm 20" burnisher. Designed with all-steel housings, Sanitaire® floor machines are built to last. The exclusive quick-connect handle reduces packaging size by as much as 40%, allowing for convenient ground shipping. Sanitaire® floor machines provide quality construction and durability backed by one of the largest service dealer networks in the industry. UL Listed for commercial use. Manufacturer's three-year parts/one-year labor warranty for commercial use.

B Sanitaire® SC6001 Compact 12" Floor Machine

Compact and lightweight. Telescopic chrome steel handle for easy transport and compact storage. 12" brush diameter for use in tight spaces. Powerful 175 rpm motor. Quiet belt driven operation. Pad driver and five pads included. 25-ft., three-wire power cord. Shpg. wt. 65 lbs. EUR 6001

Each 875.96

C Sanitaire® SC6015 17" Floor Machine

For stripping, spray buffing, scrubbing, sanding and more. Designed for durability with an all-steel housing, steel triple planetary gear drive and 175 rpm 1.5 hp motor. Built-in safety shut-off, 50-ft. power cord, heavy-duty wraparound furniture guard and chrome steel brush cover. Shpg. wt. 123 lbs. EUR 6015

Each 1560.94

D Sanitaire® SC6045 20" High-Speed Burnisher

Finish large areas quickly, quietly and smoothly. Designed for durability with an all-steel housing, smooth belt-driven operation and 1500 rpm 1.5 hp DC motor. Built-in safety shut-off, 50-ft. power cord and heavy-duty wraparound furniture guard. Shpg. wt. 115 lbs. EUR 6045

Each 1889.88

Euroclean

Euroclean

E Kent SelectLine® 20HD Multipurpose Floor Machine

For polishing, stripping, cleaning, gym floor screening, carpet bonneting and shampooing. All-steel chrome plated bell housing resists corrosion. Rugged handle has safety switch to prevent accidental start-up. Pressure trigger bar with automatic shut-off. Quick release system for fast, easy changing of pads and brushes. Foot-controlled handle lock makes adjustments easy and minimizes operator bending and fatigue. 175 rpm. Nonmarking wheels. 1.5 hp motor. ETL Approved. 20" brush diameter. 50-ft. power cord. Shpg. wt. 120 lbs. ECL 01420A

Each 1310.80





Mercury Floor Machines

ULTRA HIGH-SPEED BURNISHERS

Safety enhanced interlok switch leaves both hands conveniently in control. Nonconductive dual triggers eliminate shock potential. Fully adjustable handle positions. Balanced chassis design gives more precise pad pressure. All-metal chassis offers added weight for a faster, brighter shine. Separate nonmarking transport wheels prevent cross-contamination. 1.5 hp, DC rectified motor eliminates brownouts, low voltage problems and startup torque problems. Includes 50-ft. power cable. Motor plugs into power cable at handle base for easy, safe maintenance. Low-profile apron easily reaches under counters and baseboards. Nonmarring full-wrap bumpers protect walls and baseboards. Flexible padholder with threaded pad-centering device conforms to floor irregularities, delivering an even shine and gloss. UL Listed. Accepts 20" synthetic pads. Manufacturer's five-year warranty motor and transmission.

C PRO 1500

13-15 amp motor. 1500 rpm brush speed. Shpg. wt. 89 lbs.
MFM PRO-1500-20

Each 1805.56

D PRO 2000

Front-bearing wheel mounts on chassis for greater control. 13-15 amp motor. 2000 rpm brush speed. Shpg. wt. 89 lbs.
MFM PRO-2000-20

Each 1902.78



Pro Line Brush

FLOOR MACHINE ACCESSORIES

E Short Trim Pad Driver


Red, 1/2" long, poly fibers are unevenly trimmed and widely spaced for pad holding power. Universal clutch plate attached. Fits most machines. Manufactured on a durable plastic block with riser.

No.	For Pad Dia.	Each
BRU PPP17	17"	93.86
BRU PPP18	18"	101.44
BRU PPP19	19"	109.44
BRU PPP20	20"	120.14


F Universal Clutch Plate

Recommended for most applications. Cast of durable zinc alloy with 5" center hole.
BRU N92

Each 21.94



Universal clutch plate attached.



Make them shine!

Euroclean

ULTRA-SPEED BURNISHERS

Produces easily maintained, glossy, wet-look floor. 1.5 hp motor. Front-bearing wheel mounts on chassis for greater control. Grip-notch belt drive and spike lead protectors. 50-ft., three-wire grounded cord. Four wheels for easy transportation. Nonmarking, wraparound bumper. Built-in drive pad assembly, balanced for vibration-free performance. All surfaces made from highly polished aluminum and chrome-plated steel. UL Approved for commercial use.

A Model EC1500

Strong 13.5 amp motor. 1500 rpm brush speed. Shpg. wt. 90 lbs.
ECL 56649024

Each 2000.44

B Model PS2000

Front mounted caster to adjust pad pressure; handle mounted light to indicate when pad pressure is too heavy. 17 amp motor. 2000 rpm brush speed. Shpg. wt. 94 lbs.
ECL 56649108


Each 2546.86

Euroclean




Here are two examples of how 3M™ Floor Pads can help reduce labor time.

3M™ Eraser™ Burnishing Pads



3M™ High-Productivity Stripping Pads









All floor pads are not created equally.

The differences between floor pads may seem small. But when added up, they can make a big difference to your bottom line in terms of **productivity** and **labor costs**. 3M Floor Pads offer:

- Uniform distribution of mineral abrasives throughout the pad (not just on the surface) assures superior performance and **long, useful life**.
- Individually separated and coated fibers help produce better, more **consistent results**.
- The right amount of aggressiveness for every type of stripping, scrubbing and cleaning job.
- Each floor pad is engineered specifically for a particular maintenance task.

Which floor pad to use. (Listed below is the first choice of pad for each operation.)

Maintenance Operation	Equipment Type	Machine Speed	3M™ Floor Pad
Strip To remove all finish, sealer and contaminants from the floor surface. Done at the start of a maintenance program and at times when scrubbing will not achieve the desired results.	Rotary or Automatic	Low Speed 175-600 RPM	 3M™ High-Productivity Pad 7300 Quickly and thoroughly removes old finish, dirt and buildup. Unique, open web construction—stripping solution flows through pad to rinse out dirt and reduce loading for increased pad-to-floor contact, more efficient stripping. For heavy finish buildup, quick stripping and stain removal.
Scrub Done prior to replacing worn finish; provides a fresh new surface to maintain.	Rotary or Automatic	Low Speed 175-600 RPM	 3M™ Blue Cleaner Pad 5300 For heavy-duty scrubbing prior to recoating. Can also be used for heavy-duty spray cleaning or foam scrubbing. Removes dirt, spills and scuffs, leaving a clean surface ready for recoating.
Clean To remove light soil and other contaminants.	Rotary or Automatic	Low Speed 175-600 RPM	 3M™ Red Buffer Pad 5100 For light scrubbing. Cleans without dulling floor finish.
Buff/Spray Buff To remove scuffs and black heel marks and enhance floor appearance.			 3M™ Red Buffer Pad 5100 Specially designed for spray buffing. Cleans when damp, buffs when dry. Quickly cleans and removes scuff marks while polishing floor to a high gloss.
Burnish To repair finish and improve gloss and image clarity of floor surface. Scuff & Mark Removal Best Gloss	Electric, Battery, Propane	Ultra High Speed 1500 RPM and above	 3M™ Eraser™ Burnish Pad 3600 Ideal for harder finishes and heavy-traffic floors. Removes black marks in fewer passes than other pads. Retains excellent gloss and image clarity. Excellent durability and minimal finish removal. Best for black mark removal.
Soft Finish	Electric, Battery, Propane	Ultra High Speed 1500 RPM and above	 3M™ Aqua Burnish Pad 3100 For use on softer finishes. Produces a brilliant gloss. Exceptional durability and life. The problem solver for soft finishes.



So efficient, you'll be floored!



3M
3M™ LOW-SPEED FLOOR PADS

A High-Productivity Stripping Pad 7300
For heavy finish build-up, quick stripping and stain removal.

B Black Stripping Pad 7200
The industry standard. Maintains consistent high performance throughout the life of the pad.

C Brown Stripping Pad 7100
For wet/dry stripping. Prepares floors for recoating. Conforms to uneven floors.

D Blue Cleaning Pad 5300
For heavy-duty scrubbing prior to recoating, heavy-duty spray cleaning or foam scrubbing.



E Red Buffing Pad 5100
For spray buffing. Cleans when damp; buffs when dry. Cleans and removes scuff marks.

F Beige Buffing Pad 4200
For dry or spray buffing with machine speeds of 600-1500 rpm. Produces beautiful glossy finish. Removes scuffs and black heel marks.


G White Super Polishing Pad 4100
Spray or dry buff on soft finishes. For polishing wood floors.

H TopLine Autoscrubber Pad 5000
For light scrubbing with autoscrubber prior to burnishing. Excellent daily cleaning pad.

Size Dia.	A Hi-Pro	Case Qty.	Case	Size Dia.	B Black	C Brown	D Blue	E Red	F Beige	G White	Case Qty.	Case	Size Dia.	H TopLine	Case Qty.	Case
12"	MCO 08270	5	41.68	12"	*	MCO 08440	MCO 08405	MCO 08387	MCO 08476	5	21.74	12"	MCO 18044	5	26.58
13"	MCO 08271	5	47.44	13"	*	MCO 08441	MCO 08406	MCO 08388	MCO 08477	5	24.58	13"	MCO 18045	5	28.68
14"	MCO 08272	5	53.22	14"	*	MCO 08442	MCO 08407	MCO 08389	MCO 08478	5	27.84	14"	MCO 18046	5	32.02
15"	MCO 08273	5	58.34	15"	MCO 08377	*	MCO 08408	MCO 08390	MCO 08479	5	30.44	15"	MCO 18047	5	37.34
16"	MCO 08274	5	63.12	16"	MCO 08378	MCO 08444	MCO 08409	MCO 08391	MCO 08480	5	32.80	16"	MCO 18048	5	40.16
17"	MCO 08275	5	69.48	17"	MCO 08379	MCO 08445	MCO 08410	MCO 08392	MCO 08263	MCO 08481	5	36.22	17"	*
18"	MCO 08276	5	75.12	18"	MCO 08380	MCO 08446	MCO 08411	MCO 08393	MCO 08482	5	38.82	18"	MCO 18050	5	47.70
19"	MCO 08277	5	82.42	19"	MCO 08381	MCO 08447	MCO 08412	MCO 08394	MCO 08265	MCO 08483	5	43.12	19"	MCO 18051	5	52.76
20"	MCO 08278	5	90.22	20"	MCO 08382	MCO 08448	MCO 08413	MCO 08395	*	MCO 08484	5	46.94	20"	MCO 18052	5	54.26
21"	MCO 08279	5	101.46	21"	MCO 08383	MCO 08449	MCO 08414	*	MCO 08267	MCO 08485	5	53.02
....	22"	MCO 08384	*	MCO 08415	*	5	58.94
....	24"	MCO 08386	MCO 08417	MCO 08399	*	MCO 08488	5	78.98
....	27"	MCO 20256	5	110.56

*Size and color available as special order only





3M **3M**

3M™ ULTRA HIGH-SPEED FLOOR PADS

- A Eraser™ Burnishing Pad 3600**—For black mark removal or burnishing harder finishes and heavy-traffic floors.
- B Natural Blend Tan Burnishing Pad 3500**—Natural hair and synthetic fiber for scratch and scuff removal on harder finishes or high-traffic areas.
- C Tan Burnishing Pad 3400**—For harder finishes or high-traffic areas. Produces brilliant wet-look gloss. Best mark removal.
- D Aqua Burnishing Pad 3100**—For soft finishes. Produces a brilliant gloss. Exceptional durability and life.
- E Natural Blend White Burnish Pad 3300**—Natural hair and synthetic fiber for best gloss on various finishes and traffic conditions.
- F TopLine Speed Burnishing Pad 3200**—Restores gloss to dull floors in a single pass. Optimizes ultra high-speed floor care on various finishes.


Size Dia.	A Eraser™	Case Qty.	Case	Size Dia.	E Natural Tan	C Tan	D Aqua	Case Qty.	Case
13"	13"	*
17"	MCO 25855	5	41.66	17"	MCO 19005	MCO 05604	*	5	36.22
19"	MCO 25857	5	49.32	19"	MCO 19007	MCO 05605	MCO 08752	5	43.12
20"	MCO 25858	5	53.90	20"	MCO 19008	MCO 05606	MCO 08753	5	46.94
21"	MCO 25859	5	60.92	21"	MCO 19009	MCO 05607	MCO 08754	5	53.02
24"	MCO 25861	5	85.26	24"	MCO 19012	MCO 17438	5	74.40
.....	27"	MCO 20317	MCO 20322	MCO 20264	5	104.52
27" x 1/4"	MCO 25866	5	119.72	27" x 1/4"	MCO 20379	5	104.52

*Size and color available as special order only

Size Dia.	E Natural White	F TopLine	Case Qty.	Case
13"	*	*
16"	*
17"	MCO 18207	MCO 18063	5	41.66
19"	MCO 18209	MCO 18065	5	49.32
20"	MCO 18210	MCO 18066	5	53.90
21"	MCO 18211	*	5	60.92
22"	*
24"	MCO 18213	MCO 18069	5	85.26
27"	MCO 20326	MCO 20259	5	119.72

*Size and color available as special order only





Premiere Pads

ULTRA HIGH-SPEED FLOOR PADS

• For use with machine speeds of 1000 to 3000+ RPM

A Aqua—Ideal for high-frequency, high-gloss burnishing programs on softer floor finishes. (Replaces beige.)

B Ultra Champagne—Designed for low to moderate burnishing programs on harder floor finishes.

C Natural Hair—Natural hair and synthetic fiber pad works well on a wide variety of floor finishes and traffic conditions.

D Natural Hair Extra—Greater percentage of natural hair and synthetic fiber pad designed for low-frequency burnishing programs on harder floor finishes.

Size Dia.	A Aqua	Case Qty.	Case	Size Dia.	B Ultra Champagne	C Natural Hair	D Natural Hair Extra	Case Qty.	Case
17"	PAD 4017 AQU	5	27.22	17"	PAD 4017 ULT	PAD 4017 NAT	PAD 4017 NHE	5	27.52
18"	PAD 4018 AQU	5	29.26	18"	PAD 4018 ULT	PAD 4018 NAT	PAD 4018 NHE	5	30.58
19"	PAD 4019 AQU	5	32.74	19"	PAD 4019 ULT	PAD 4019 NAT	PAD 4019 NHE	5	33.08
20"	PAD 4020 AQU	5	35.26	20"	PAD 4020 ULT	PAD 4020 NAT	PAD 4020 NHE	5	35.58
21"	PAD 4021 AQU	5	40.36	21"	PAD 4021 ULT	PAD 4021 NAT	PAD 4021 NHE	5	40.78
24"	PAD 4024 AQU	5	56.88	24"	PAD 4024 ULT	PAD 4024 NAT	PAD 4024 NHE	5	57.46



STANDARD FLOOR PADS

E White Polishing—Light dry-polishing or light water spray for high gloss.

F Red Buffing—For spray buffing, cleaning and polishing.

G Blue Scrubbing—For scrubbing or heavy-duty spray cleaning. Removes soiled top layers of finish.

H Green Scrubbing—Ideal for heavy-duty scrubbing or light stripping.

I Black Stripping—For heavy-duty stripping.

J High-Performance Stripping—Very aggressive stripper. Open end web formulation for repeated washings and prolonged life.

Size Dia.	E White	F Red	G Blue	H Green	I Black	Case Qty.	Case	Size Dia.	J High-Performance	Case Qty.	Case
12"	PAD 4012 WHI	PAD 4012 RED	PAD 4012 BLA	5	16.10
13"	PAD 4013 WHI	PAD 4013 RED	PAD 4013 BLU	PAD 4013 GRE	PAD 4013 BLA	5	18.28	13"
14"	PAD 4014 WHI	PAD 4014 RED	PAD 4014 BLU	PAD 4014 BLA	5	20.74	14"
15"	PAD 4015 WHI	PAD 4015 RED	PAD 4015 BLA	5	22.70	15"
16"	PAD 4016 WHI	PAD 4016 RED	PAD 4016 BLU	PAD 4016 GRE	PAD 4016 BLA	5	24.74	16"
17"	PAD 4017 WHI	PAD 4017 RED	PAD 4017 BLU	PAD 4017 GRE	PAD 4017 BLA	5	27.22	17"	PAD 4017 HIP	5	36.30
18"	PAD 4018 WHI	PAD 4018 RED	PAD 4018 BLU	PAD 4018 GRE	PAD 4018 BLA	5	30.28	18"
19"	PAD 4019 WHI	PAD 4019 RED	PAD 4019 BLU	PAD 4019 GRE	PAD 4019 BLA	5	32.74	19"	PAD 4019 HIP	5	43.06
20"	PAD 4020 WHI	PAD 4020 RED	PAD 4020 BLU	PAD 4020 GRE	PAD 4020 BLA	5	35.26	20"	PAD 4020 HIP	5	46.98
21"	PAD 4021 WHI	PAD 4021 RED	PAD 4021 BLA	5	40.36	21"
24"	PAD 4024 WHI	5	56.88





Premiere Pads

A Sanding Screens

Perfect for sanding dull and scuffed wood floors. Open-weave mesh design is nonloading and coated on both sides for reversible use—wet or dry. 10 screens per case.

No.	Diameter	Grit	Case
PAD 5017-60-10	17"	60	124.74
PAD 5017-80-10	17"	80	100.76
PAD 5017-100-10	17"	100	87.60
PAD 5017-120-10	17"	120	90.88
PAD 5017-150-10	17"	150	75.98
PAD 5020-60-10	20"	60	148.80
PAD 5020-80-10	20"	80	129.64
PAD 5020-100-10	20"	100	116.64
PAD 5020-120-10	20"	120	105.24
PAD 5020-150-10	20"	150	97.56



Global Material Technologies

B Radial Steel Wool Floor Pads

Ideal for stripping a tough, dirty, paste-wax buildup or buffing a beautiful parquet floor to a brilliant luster. Reversible pad can be used over and over for cleaning, dry scrubbing, polishing or finishing almost any type of floor. Choose from a variety of grades to fit your needs: 0 (fine)—for cleaning and polishing; 1 (medium)—for cleaning and dry scrubbing; or 2 (coarse)—for stripping waxed floors or scrubbing rough floors. 12 pads per case.

Dia.	Grade 0	Grade 1	Grade 2	Case
17"	GMT 120170	GMT 120171	GMT 120172	108.82
18"	GMT 120180	GMT 120181	GMT 120182	119.04
19"	GMT 120190	GMT 120191	GMT 120192	127.86
20"	GMT 120200	GMT 120201	GMT 120202	134.68



Rubbermaid Commercial Products

C Rotary Yarn Bonnets with Scrub Strips

Use with any standard rotary floor machine. Low-profile bonnet with scrub strips adds additional scrubbing action for improved carpet cleaning performance.

No.	Diameter	Each
RCP P267	17"	29.52
RCP P269	19"	31.48
RCP P271	21"	34.42



Unisan

D Rotary Yarn Bonnets

Low-profile bonnet provides improved operator control on rotary floor machines from 175-300 RPM. Effectively pulls dirt and soil out of carpets.

No.	Diameter	Each
UNS R17	17"	32.68
UNS R19	19"	34.92
UNS R21	21"	37.14



A



B



C



D

FVI

Floor stripping is one of the most basic janitorial procedures. The process removes floor finish and embedded soil so that the floor can be repaired and refinished. A floor stripping solution works to melt and loosen the floor finish, making removal easier. The finish is then scrubbed off with a floor stripping machine and floor stripping pad. After scrubbing the floor, a wet pick-up vacuum can be utilized to remove leftover stripper solution. Once the floor is clear of solution, it should be mopped and cleaned before allowing it to dry. Now, the floor is ready for a new finish application.



3M

3M™ DOODLEBUG™ CLEANING SYSTEM

Three types of cleaning pads combined with the multipurpose pad holder tackle a variety of cleaning jobs.

A Pad Holder Kit

Orange plastic holder with special grippers that hold 4½ x 10 Doodlebug™ cleaning pads (sold separately). Holder swivels in all directions. The threaded socket attaches to any standard threaded handle. Includes one MCO 8440 pad and one MCO 8541 pad. 4 kits per case.

MCO 6472

Case 203.50

B Handblock

Convenient built-in handle puts cleaning versatility in the palm of your hand. Unique hook-and-loop bottom holds Doodlebug™ pads without the use of adhesives or fasteners. 4 handblocks per case.

MCO 6473

Case 170.74

C White Cleansing Pad

For cleaning delicate surfaces. Fits pad holders MCO 6472 and MCO 6473. 4½ x 10. 5 pads per pack; 4 packs per case.

MCO 8440

Case 54.98

D Blue Scrubbing Pad

For medium-duty cleaning and scrubbing. Fits pad holders MCO 6472 and MCO 6473. 4½ x 10. 5 pads per pack; 4 packs per case.

MCO 8242

Case 54.98

E Brown Scrub'n Strip Pad

For heavy-duty cleaning and stripping. Fits pad holders MCO 6472 and MCO 6473. 4½ x 10. 5 pads per pack; 4 packs per case.

MCO 8541

Case 54.98

F High Productivity Stripping Pad

For extra heavy-duty cleaning and stripping. Fits pad holders MCO 6472 and MCO 6473. 4½ x 10. 10 pads per pack; 4 packs per case.

MCO 8550

Case 170.94



Premiere Pads

G Utility Pad Holder

Gray, plastic pad holder swivels in all directions to clean hard-to-reach surfaces. Base accepts 4 x 10 cleaning pads PAD 401, PAD 402 and PAD 403 (sold separately). Threaded socket accepts any standard threaded handle.

PAD 405

Each 13.30

BASEBOARD/UTILITY PADS

Combine with Utility Pad Holder PAD 405 (sold separately) to perform a variety of cleaning tasks. 4 x 10.

H Light-Duty White Pads

For delicate surfaces and light cleanups such as sinks, tile, windows. 20 pads per case.

PAD 401

Case 35.84

I Medium-Duty Blue Pads

Medium abrasive for scuffs and finishes requiring more than a light pad. 20 pads per case.

PAD 402


Case 35.84

J Heavy-Duty Brown Pads

Aggressive abrasive cleans floors, baseboards and corners. Removes old finish and wax buildup. 20 pads per case.

PAD 403

Case 35.84



Swivels to clean hard-to-reach surfaces.