



Weatherproof storage.
Lip on lid keeps box shut tight.

A

Extra forms store under hinged aluminum strap. Insert writing plate under top form... prevents write-through on unused forms below.



B



Two storage compartments.

C



D



E



F

Large tip.



G

Regular tip.



H

Super-wide tip.



Saunders

- For outdoor or indoor use
- Aluminum

A Redi-Rite™ Portable Desktop Clipboard

With built-in storage box. Holds forms and pencils under tightly closed lid. Strong clip controls papers even in brisk wind. Holds forms to 8½ x 12. 1" clip capacity.
SND 11017

Each 37.80

B Snapak™ Form Holder

Opened, it's a notebook; folded, it's a compact, protective box. Holds up to 30 forms. Hinged writing plate provides firm writing surface and prevents write-through. Holds forms to 8½ x 12. ½" clip capacity.
SND 10517

Each 39.92

C Cruiser Mate™ Form Holder

Two separate storage areas. Bottom has 1" capacity for extra forms, reports, logs or tools, and has built-in pen/pencil tray. ⅞" capacity removable top compartment for completed forms. Clip has a slide-on clamp for notes or cards. Holds forms to 8½ x 12. 1" clip capacity.
SND 21017

Each 42.84

Universal



D Clipboards

Brown hardboard writing surface; ideal for office or job site. 1¼" clip capacity.

No.	Description	Each
UVS 40304	Letter Size	1.62
UVS 40305	Legal Size	1.70

Boston

BOSTON®

E Deluxe StandUP® Stapler

Sits upright on the desktop to economize space. Sensor-soft ergonomic grip fits any size hand. Staples up to 12 sheets. Steel anti-jam stapling mechanism. Loads 210 staples (not incl.). Metal channel. ¾" throat depth. Built-in staple remover. Manufacturer's one-year limited warranty. Black.
HNT 73090

Each 26.68



Avery

Marks-A-Lot® Permanent Markers

Quick-drying, nontoxic, waterproof ink conforms to ASTM D-4236. Generous ink supply. Durable chisel tip. Black. 12 markers per box.

No.	Tip Size	Box
F AVY 08-888	Large	15.04
G AVY 07-888	Regular	15.04

Sharpie



H Sharpie® Magnum® Permanent Marker

An industrial marker designed specifically for use on wet and oily surfaces. The durable aluminum barrel and felt tip are tough enough to withstand heavy use. Specially formulated water-resistant ink dries quickly and cleanly. Oversized felt chisel tip draws extra-wide, bold lines on corrugated paper, wood, metal, foil, stone, plastic and leather. Extra-large ink supply for your toughest marking projects. Black. 12 markers per box.
SNF 44001

Box 53.38





A



B




Rubbermaid Home Products

Rubbermaid

ROUGHNECK™ MODULAR OUTDOOR STORAGE SHEDS

- Freestanding and weather resistant
 - Durable double-wall resin panels lock together quickly and easily
 - Heavy-duty structural foam floor has angled entry ramp
 - Easily assembles with basic tools
 - Hasp is padlockable (padlock not incl.)
- Structural foam floor supports up to 1,300 lbs. Sheds have molded-in grooves to accommodate up to six wood shelves (shelves not incl.). Molded-in anchor grooves permit anchoring into the ground.


A Vertical Double Deep

Two lockable front doors for easy access. 6-ft. interior height for walk-in accessibility. Sandstone/Olive. 163 cu. ft. capacity. 66w x 72d x 78h. Shpg. wt. 253.1 lbs. 

◆RHP 3673


Each 1489.28

B Vertical

Two lockable front doors. 6-ft. interior height provides walk-in accessibility. Sandstone/Olive. 74 cu. ft. capacity. 66w x 36d x 78h. Shpg. wt. 179 lbs. 

◆RHP 3667

Each 965.30

 Items with this symbol require assembly.

How to choose an outdoor storage shed

1. What size do you need?

The storage unit should be wide and tall enough to accommodate the largest item you plan to store. Strong, durable flooring supports high weight capacity, while double doors offer the widest entry.

2. What features are available?

For equipment with wheels, consider a unit with an angled entry ramp. Locking units offer increased security for valuable equipment. If you plan to store many small items, consider a shed with molded-in grooves to accommodate multiple shelves.

3. Which access type is best?

Sliding lids and high ceilings offer walk-in access. For multipurpose storage, units with top-opening lids and double doors give you access alternatives.




Universal



A General-Purpose Masking Tapes

55m, 3" core.

No.	Width	Rolls/Case	Case
UVS 51301	1" (24 mm)	36	91.60
UVS 51302	2" (48 mm)	24	125.38



3M



B 3M™ Polyethylene-Coated Cloth Duct Tape

For repairing flexible hoses and sealing heat or A/C vents. UL 723 Listed. Rubber adhesive. 32-lb. tensile strength. 10.7 mils thick. Silver. 3" core. 48mm x 54.8m. MCO 6969-2

Roll 17.84



Westcott



C KleenCut® Stainless Steel Straight Shears

Rust-resistant, precision ground stainless steel blades with a soft, rubberized grip for comfort. Traditional German design. 6" length, 2¾" cut. Black handles. Manufacturer's ten-year warranty. ACE 19016

Each 6.90

D Kleen Earth® Straight Shears

Stainless steel blades are sonically welded to 70% recycled plastic handles. 30% post-consumer recycled content. 8" length, 3¼" cut. Black handles. Manufacturer's ten-year warranty. ACE 41418

Each 9.22

Universal



E "Handwrap" Stretch Film

- Wrap pallet loads to ensure safe and secure delivery
- Self-adhering—each layer of film bonds to the next for added strength
- Protects shipments from water, dirt and damage caused by excess movement
- 18" wide rolls with 3" core

15-Micron (60-Gauge) Thickness—For Type A loads to 2,000 lbs. Roll length 2,000 ft. 4 rolls per case. Shpg. wt. 34 lbs. UVS 62018

Case 157.66

20-Micron (80-Gauge) Thickness—For heavier Type B and Type C loads up to 2,500 lbs. Roll length 1,500 ft. 4 rolls per case. Shpg. wt. 35 lbs. UVS 80118

Case 157.66

F Adjustable Hand Dispenser

Use with stretch film rolls 12" to 18" wide. Adjusts for the strongest tension. Shpg. wt. 4 lbs. UVS 89000

Each 131.30



Film and dispenser sold separately.

Check pallet types to determine which stretch film to use.

TYPE A Square, no protruding edges.	TYPE B Somewhat square with some voids in pallet.	TYPE C Protruding boxes and voids on pallet.





A



B



C



D


Rubbermaid Home Products



OUTDOOR STORAGE SHEDS

- All structures are freestanding and weather resistant
- Interlocking double-wall blow-molded panels for strength and durability
- Tough, durable floor included
- Easily assembles in less than 30 minutes
- Sheds have hasp for a padlock (not incl.)


A Large Vertical

Eight interlocking panels. Molded-in grooves for three shelves (not incl.). Molded-in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Sandstone/Olive. 52 cu. ft. capacity. 52w x 32d x 77h. Shpg. wt. 130 lbs. 

◆RHP 3746

Each **761.26**

B Large Horizontal

Six interlocking panels. Molded-in grooves for one shelf (not incl.). Lid prop bar included. Molded-in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Sandstone/Olive. 32 cu. ft. capacity. 56.5w x 32d x 48h. Shpg. wt. 92.81 lbs. 

◆RHP 3747

Each **608.14**

C Horizontal

Seven interlocking panels. Molded-in grooves hold one shelf (not incl.). Includes lid prop bar. Sandstone/Olive. 18 cu. ft. capacity. 55w x 28d x 36h. Shpg. wt. 52 lbs. 

◆RHP 3748

Each **350.54**

D Slide-Lid

Lid slides back for easy walk-in access. Ideal for storing bikes and lawn equipment. Structural foam floor supports up to 1,300 lbs. Sandstone/Olive. 92 cu. ft. capacity. 60w x 79d x 54h. Shpg. wt. 262.76 lbs. 

◆RHP 3752

Each **1135.46**

History of...



Storage sheds have been used throughout history as a place to hold livestock, food, tools and other supplies. Archaeological findings dating back to 330-280 B.C. include instructions for building a storage shed to store grain. Cave-dwelling peoples often used smaller caves or alcoves for storage. In ancient Egypt, grain was stored in underground silos, while early Europeans built sheds from mammoth tusks and skins.

 Items with this symbol require assembly.




Whatever the need, results that stick!



Easy one-hand dispensing.


A



B



C



D

E



F



Universal

A Box Sealing Tape Dispenser

For one-hand dispensing. Apply tape end, roll across carton, tilt and cut. Adjustable tension brake. For 2" wide, 3" core box sealing tapes up to 110 yds. long. Metal and plastic construction.

UVS 88000

Each 7.20

B Box Sealing Tapes

100% polypropylene film with hot-melt adhesive. Flexible, waterproof, slit-, burst- and stretch-resistant. UPS and Parcel Post Approved.

General-Purpose Tape—Good holding power, economical. For sealing cartons to 25 lbs. 1.85 mils thick, 28-lb. tensile (bursting) strength. All rolls are 2" wide (48mm), with a 3" core. 6 rolls per pack.

No.	Color	Length	Pack
UVS 63000	Clear	55 yds. (50m)	12.56
UVS 63001	Tan	55 yds. (50m)	12.56
UVS 63500	Clear	109 yds. (100m)	23.98

Heavy-Duty Tape—Extra holding power for sealing cartons to 50 lbs. 3.0 mils thick, 35-lb. tensile (bursting) strength. 2" x 55 yds. (48mm x 50m). 3" core. Clear. 6 rolls per pack.

UVS 93001

Pack 40.50

Scotch



PACKAGING TAPES

Resistant to splits, bursts, moisture. Meets U.S. postal regulations. Use clear for protecting address labels, too.

C Scotch® Personal Size Tape in Plastic Dispenser

Standard grade, 2.85 mils thick. 1½" core. Clear. 50.8mm x 20.3m roll.

MCO 141

Each 3.54

D Scotch® Commercial Performance Tape in Refillable Dispenser

Strong and thick. Premium, heavy-duty, 3.1 mils thick. 3" core. Clear. 48mm x 50m.

MCO 3750RDCR

Each 8.94

E Scotch® Commercial Performance Tape

Strong and thick. Premium, heavy-duty, 3.1 mils thick, 3" core. 48mm x 50m.

MCO 3750260CR

Roll 8.78

MCO 3750260TN

Clear

Roll 8.78

Tan

Quality Park Products



F Self-Adhesive Packing List Envelopes

Permanent adhesive—no lost documents. Printed **PACKING LIST ENCLOSED**. Bright orange background and printing conceal enclosure for added security. Separate address label required. 5½ x 4½.

No.	Qty./Unit	Unit
QPK 46895	100/Box	10.50
QPK 46897	1,000/Carton	57.92





**4 Shelves,
Double Doors**

A



**2 Shelves,
Double Doors**

B



C


C

Rubbermaid Home Products

HEAVY-DUTY STORAGE CABINETS


- Easy to assemble—no tools required
- Solid bottom shelf with ventilated upper shelves
- All units are padlockable (padlock not incl.)

A Four-Shelf Cabinet


• Stores 50+ paint cans
Supports up to 690 lbs. Double doors. Mica/Charcoal. 21.3 cu. ft. capacity. 36w x 18d x 72³/₄h. Shpg. wt. 55³/₄ lbs. 
◆RHP 7083

Each 271.40

B Two-Shelf Cabinet

• Stores 20+ paint cans
Supports up to 330 lbs. Solid bottom shelf with one ventilated upper shelf. Double doors. Mica/Charcoal. 10.7 cu. ft. capacity. 36w x 18d x 37³/₄h. Shpg. wt. 29¹/₄ lbs. 
◆RHP 7085

Each 163.86

 Items with this symbol require assembly.




*Adjustable shelves—
includes posts and clips.*

Tennsco



C 75" High Commercial Metal Shelving

350-lb. capacity per shelf (based on 36 x 18 shelf evenly distributed). Includes five 36w x 18d shelves, plus posts and shelf clips. Shelves adjust in 1" increments with compression clips. Medium Gray. Shpg. wt. 61 lbs. 
TNS 109694

Each 137.34

FYI

With the popularity of design techniques such as feng shui, it's obvious that clearing clutter is a hot topic. To create your own clutter-free zone, display only the items you use regularly and store the rest. Stackable clear plastic boxes offer space-saving organization and provide at-a-glance identification of contents. Storage cabinets allow you to stow supplies out of sight, giving your space a much neater look.



basyx

basyx

A Deluxe Folding Table

Walnut woodgrain high-pressure laminate top, 3/4" thick, with black vinyl bullnose edging. One-piece 1 3/4" steel apron and 1" dia. steel legs; black plastic foot caps. Folds to 2 1/2" thick and locks for easy storage. Gravity leg-locking mechanism for easy set-up. Brown apron and legs. basyx™ limited five-year warranty. 96 x 30. 29" high. Shpg. wt. 86 lbs.

◆BAX FTD3096WBRN

Each 190.18



A

HON

HON
Smart now. Smarter later.

B Steel Folding Chair with Padded Seat

1" thick light beige vinyl seat pad, light beige frame. The HON® Limited Five-Year Warranty. 16 1/4" w x 16 1/4" d x 29 1/4" h. 4 chairs per carton. Shpg. wt. 43 lbs.

HNN FC02LBG


Carton 157.68

C All-Steel Folding Chair

Light beige frame. The HON® Limited Five-Year Warranty. 16 1/4" w x 16 1/4" d x 29 1/4" h. 4 chairs per carton. Shpg. wt. 38 lbs.

HNN FC01LBG

Carton 124.78



B

C

Master Caster Company

Problem Solving Products
Master
MANUFACTURING
MASTER CASTER

D Big Foot® Doorstop

Wedge style, nonslip rubber with extra-wide flange. 2" w x 4 1/2" d x 1 1/4" h.

No.	Color	Each
MST 00900	Beige	5.92
MST 00920	Brown	5.92
MST 00941	Gray	5.92



D

Seth Thomas

Seth Thomas
America's Oldest Clockmaker
Since 1813

E Thinline Manager® Wall Clock

Shatter-resistant case, lens and dial. Automatically resets for daylight saving time. Quartz movement using two AA batteries (sold separately). 12" dial; second hand. 13 1/2" dia. x 1 1/4" d black plastic case. STH 1138

Each 53.68



E

13 1/2" dia.

FYI **Auto Set** is clock technology that automatically sets your clock and automatically alters the time at the beginning and end of Daylight Saving Time (DST). The clock features a built-in microchip that is preprogrammed to know the current date and time—all the user has to do is select the correct time zone and the clock will set itself. The DST feature can be disabled for use in areas where Daylight Saving Time is not observed. A replaceable lithium battery, designed to last more than five years, powers the microchip. Since no radio signal is needed, the clock will work correctly in any U.S. time zone and any type of building, including underground levels.



1.5-gallon to 11-gallon clear boxes let you see what you store.



Shown with optional lid.

28-gallon clear storage box has heavy-duty latches.

Rubbermaid Home Products



ROUGHTOTE® STORAGE BOXES

- Durable polypropylene boxes keep contents contained, dry and dust-free
- Shatter-resistant down to 0°F
- Built-in handles for easy lifting and carrying

A Roughtote® Storage Box with Snap-On Lid

Stackable design saves valuable storage space. Snap-on lid keeps contents secure. 3-gallon capacity. Steel color. RHP 2213 STE

Each 8.68

B Roughtote® Clear Storage Boxes

See-through clarity allows for easy identification of contents. Multiple sizes offer a variety of storage solutions. All units stack, maximizing storage space. Clear polypropylene with white lid.

No.	Capacity	Each
RHP 2217 WHI	1.5 Gallon	3.14
RHP 2220 WHI	3 Gallon	7.50
RHP 2222 WHI	4.9 Gallon	10.98
RHP 2221 WHI	7 Gallon	13.26
RHP 2223 WHI	11 Gallon	16.54

C Max Latch® Jumbo Clear Storage Box

28-gallon see-through box features unique heavy-duty latches to keep contents secure. Lids and bases nest neatly to maximize storage space. Durable clear polypropylene with bluebird latch. RHP 5337 CYL

Each 40.18

Rubbermaid Commercial Products



D Palletote® Box

Heavy-duty, all-plastic construction with an easy-to-clean smooth surface. Ideal for versatile storage of goods. Meets USDA Dairy Sanitary Standards; Meat and Poultry Equipment Group Listed. Stackable. Gray. Optional lid RCP 1730 GRA sold separately. 2.6 cu. ft. 23½w x 19½d x 13h. RCP 1732 GRA

Each 63.30

Palletote® Lid—For RCP 1732 GRA (sold separately).

RCP 1730 GRA

Each 20.42



Facility Maintenance & Safety

Step Stools

#560 Steel Qwik Step™ Platform Ladder
See page 255



More Efficient Waste Collection



HINGE LID



SWING LID



STAINLESS STEEL DOLLY



SLIM JIM® WITH VENTING CHANNELS

Makes Lifting Can Liners 60% Easier

Back injuries are the #1 OSHA reported incident. Slim Jim® with Venting Channels takes the strain out of liner removal. Patent-pending venting channels dramatically reduce the force required to remove a full can liner.*

Space-saving Profile – a Smart Fit

Slim Jim's® sleek profile fits easily in virtually any waste collection area. Form fitting stainless steel dolly (3553-00), hinged lid (2673-60) and swing lid (2674-00) are options that improve Slim Jim's® functionality while maintaining its slim profile.

©2007 Rubbermaid.

Efficient Collection and Sortation

The new Slim Jim® features four patent-pending, molded-in can liner cinches for improved liner retention. Saves time during waste collection by eliminating the need to tie knots in can liners.

23-Gallon Capacity

Increase efficiency and improve worker well-being by using the new Slim Jim® with Venting Channels. Comes in a variety of colors. The blue and green compost material Slim Jim® Recycling Containers support your facility's green initiatives.

* Based on RCP internal testing

A man in a work jacket is shown from the side, pouring a dark, fibrous material from a large, light-colored container. The scene is set against a plain, light-colored background. The overall image has a monochromatic, muted purple tint.

Waste Receptacles

Brute® Containers & Lids

Brute® Accessories & Dollies

Outdoor Containers

Indoor Containers

Recycling Containers

Smoking Management



HDL 4725



HDL 4811



HDL 4812



HDL 4813



HDL 4726



HDL 4814



HDL 4815



HDL 4816



HDL 4817

(A)



(B)



(C)

U.S. Stamp & Sign



A ADA Signs

• Meets Americans with Disabilities Act (ADA) Requirements International symbols and raised tactile graphics with grade two braille. Molded plastic radius design. Includes instructions and double-sided adhesive tape for easy mounting. 6w x 9h.

No.	Description	Each
UST 4725	Accessible	15.16
UST 4811	Restroom	15.16
UST 4812	Restroom 2	15.16
UST 4813	No Smoking	15.16
UST 4726	Employees Must Wash Hands	15.16
UST 4814	Women HC	15.16
UST 4815	Men HC	15.16
UST 4816	Women	15.16
UST 4817	Men	15.16



Bobrick

B Eclipse™ Automatic Hand Dryer

Electronic sensor for "no-touch" operation. Surface mount. Contemporary styling; vandal-resistant. Steel with white enamel finish. 115V, 20 amp, 2,300 watts, 50/60Hz. UL/cUL Listed. Manufacturer's ten-year limited warranty. 15¹/₂w x 7¹/₂d x 8³/₈h. BOB 740

Each 642.30

Holmes



C Twin Ceramic Heater with Comfort Control Thermostat

Efficient twin ceramic heating elements and large grille provide wide dispersion of heat. Carry handle for easy portability. Two heat settings: high (1,500 watts) and low (1,000 watts). Auto safety shut-off. Manufacturer's three-year limited warranty. 6⁵/₈w x 11¹/₄d x 8³/₈h. Shpg. wt. 4 lbs. HOL HCH4266-U

Each 69.96

The Americans with Disabilities Act of 1990 (ADA) was developed "to provide a clear and comprehensive national mandate for the elimination of discrimination against individuals with disabilities," according to text from the Act itself. The ADA lists specific standards that address discrimination against individuals with disabilities. The Federal Government regulates and enforces these standards to ensure their practice. Under the ADA act, businesses are required to provide "reasonable accommodations" for qualified applicants or employees. Such accommodations include the existence of facilities that are accessible and usable by individuals with disabilities. In addition, ADA design standards offer a complete guideline for creating accessibility in public places and commercial facilities.

FYI



Rubbermaid Commercial Products



A Sturdy Station 2™ Horizontal Changing Table

Smooth, curved no-pinch design with large, deep bed and adjustable safety belt. Two hooks, one on each side, hold diaper bag securely. For left- or right-hand use. Easy-access liner dispenser. Sturdy, all-plastic construction with durable gusset support system. No exposed hardware. 50-lb. capacity. Meets all applicable ASTM, ADA, FDA and EN global safety regulations. Off-White. Also available in vertical. Table pulls down from wall and opens to 35 $\frac{1}{2}$ w x 19 $\frac{1}{2}$ d x 28 $\frac{1}{4}$ h; closes shut against wall to 35 $\frac{1}{2}$ h x 4d. Shpg. wt. 27 lbs.
RCP 7818 WHI

Each **355.68**

B Protective Liners for Sturdy Station 2™

White, two-ply. 17 x 12 $\frac{1}{2}$ unfolded. 320 liners per case. Shpg. wt. 5 lbs.
RCP 7817 WHI

Case **132.24**



Includes antimicrobial protection.

Adjustable safety belt. Easy-to-reach liner dispenser.

A

Koala Kare



KOALA BEAR KARE® BABY CHANGING STATIONS

Bed features smooth, concave changing area with nylon safety straps and two hooks for bags or purses. Universal instruction graphics and safety messages in six languages and Braille. Blow-molded high-density polyethylene construction with FDA-Approved Microban® antimicrobial additive for resistance to odors and bacterial growth. Molded-in liner dispenser. Reinforced full-length steel-on-steel hinge mechanism with steel mounting plates and supports (mounting hardware incl.). Pneumatic cylinder provides controlled, slow, one-handed opening and closing of changing bed. 400-lb. static load capacity. ADA Compliant when properly installed.

C Horizontal Baby Changing Station

Bed pulls down from wall and opens to 32w x 19.25d x 20h; closes shut against wall to 35.25w x 4d x 20h. Shpg. wt. 34 lbs.

No.	Color	Each
KKP KB100-00	Cream	393.08
KKP KB100-01	Gray	393.08

D Vertical Baby Changing Station

Bed pulls down from wall and opens to 16w x 35d x 35.5h; closes shut against wall to 22w x 5.25d x 35.5h. Cream. Shpg. wt. 34 lbs.
KKP KB101-00

Each **393.08**

E Sanitary Bed Liners for Baby Changing Stations

White, biodegradable, three-ply. Large 13 x 19 size. 500 liners per case. Shpg. wt. 11 lbs.
KKP KB150-99

Case **67.90**



NEW

C



Microban® antimicrobial additive resists odors and bacterial growth.



Skin Care & Personal Hygiene

Baby Wipes

Premium Baby Wipes
See page 139



NEW

D



NEW

E

