

CONVERTIBLE CART

Two Highly Productive Solutions in One

The 4300 Convertible Cart's highly innovative, patent-pending design bundles the multi-functional capabilities of a Heavy-Duty Utility Cart and a Light Commercial Platform Truck into a single, extremely versatile product.

Effortless Conversion to Three Positions

Simple push button and foot pedal conversion points allow for effortless transformation. The simplicity of conversion minimizes costly back injuries and workers' comp claims. Conversion down to a fully collapsed state provides for easy transport and storage.

Designed for Maximum Efficiency

This material handling solution is sure to become one of your hardest working efficiency tools. The extended lower shelf aids in improved loading and provides added carrying capacity. And, the 4300 Convertible Cart's sleek design looks great in any setting.

Use One Cart for Multiple Tasks

The weight capacity as a Utility Cart is 400 pounds. As a Platform Truck, the weight capacity is 250 pounds. The dimensions and weight loads are simply perfect for the vast majority of relevant everyday commercial use.

©2007 Rubbermaid.











Rubbermaid Commercial Products



A Utility Trucks

Provides quick and easy mobility for all types of jobs. Single-step sidewall design features reinforcing band to increase wall strength and prevent bowing; also allows nesting for compact storage. Heavyduty, all-metal frame. Rugged, smooth-rolling casters. NSF/USDA Approved for use in food processing applications. Black.

No.	Capacity/ Cubic Ft.	Size (L x W x H)	Shpg. Wt.	Each
◆RCP 4712 BLA	800 lb./12	431/4 x 28 x 337/8	62 lbs.	663.73
♦RCP 4716 BLA	1,000 lb./16	44% x 31 x 381/4	75 lbs.	795.46

B Cube Trucks

Metal frame design provides durable support for commercial waste collection. Also ideal for commercial or institutional laundry handling. NSF/USDA Approved for use in food processing applications. Black.

No.	Capacity/ Cubic Ft.	Size (L x W x H)	Shpg. Wt.	Each
◆RCP 4608 BLA	300 lb./8	38 x 26 x 281/8	36 lbs.	385.10
♦RCP 4612 BLA	400 lb./12	42¾ x 28 x 33	40 lbs.	504.10
◆RCP 4614 BLA	500 lb./14	441/8 x 31 x 321/2	47 lbs.	562.45
♦RCP 4616 BLA	500 lb./16	43¾ x 31 x 37	51 lbs.	613.09
◆RCP 4619 BLA	600 lb./20	48 x 341/8 x 361/2	60 lbs.	722.00

C Cube Truck Lids

Domed, hinged lid conceals loads without affecting capacity. Black.

No.	For RCP Model	Shpg. Wt.	Each
◆RCP 4609 BLA	4608, 4708	13.5 lbs.	193.80
♦RCP 4613 BLA	4612, 4712	14.3 lbs.	210.90
♦RCP 4615 BLA	4614, 4616, 4716	17.2 lbs.	228.00
♦RCP 4617 BLA	4619, 4720	18.8 lbs.	245.10

Spring Platform Cube Truck

Metal frame design provides durable support for commercial waste or laundry collection up to 500 lbs. or 14 cubic feet. Features a spring platform that brings contents to a convenient working level. The platform is covered with easy-to-clean plastic laminate; spring assembly covered by protective heavy-duty white vinyl. NSF/USDA Approved for use in food processing applications. Black. 441/81 x 31w x 321/2h. Shpg. wt. 60 lbs. ♦RCP 4611 BLA

■ Structural Foam Tilt Trucks

For general refuse collection and light to medium materials handling. Fits through standard commercial doorways and onto elevators easily. Inset, mark-resistant casters roll smoothly over thresholds and rough surfaces. Black. 3/4 cubic yard, 641/21 x 301/4w x 38h.

Each	Shpg. Wt.	Capacity	No.
904.37	92 lbs.	600 lb.	◆RCP 1011 BLA
1064.03	101 lbs.	1,000 lb.	◆RCP 1013 BLA

Invented by . . .



Each 752.37

Chuko Liang (181-234 A.D.) of China is considered to be the inventor of the wheelbarrow. Liang was a general who used the wheelbarrow to transport supplies to injured soldiers. The Chinese wheelbarrow had two wheels and required two men to propel and steer.

Keep on truckin'...

Rubbermaid Commercial Products



A Tilt Trucks

Specially made to handle bulky, medium- to heavyweight materials. Sturdy, plastic construction. Easy to maneuver and dump contents. Wheels and axle are inset to prevent damage to interior surfaces and equipment. Black. (Optional lids, for ½ and 1 cubic yard capacities, sold separately.)

		Size	Shpg.	
No.	Capacity	(LxWxH)	Wt.	Each
½ Cubic Yard				
♦RCP 1304 BLA	450 lbs.	56¾ x 28 x 38¾	62 lbs.	721.99
♦RCP 1305 BLA	850 lbs.	60½ x 28 x 38%	77 lbs.	1038.68
◆RCP 1306 BLA	1,400 lbs.	60½ x 28 x 385/s	88 lbs.	1210.93
1 Cubic Yard				
◆RCP 1314 BLA	850 lb.	721/4 x 331/2 x 433/4	111 lbs.	975.33
♦RCP 1315 BLA	1,250 lb.	721/4 x 331/2 x 433/4	111 lbs.	1335.03
♦RCP 1316 BLA	2,100 lb.	721/4 x 331/2 x 433/4	120 lbs.	1540.25
2 Cubic Yard				
♦RCP 1035 BLA	1.900 lb.	81½ x 46¾ x 50	216 lbs.	3072.91

B Forkliftable Tilt Truck

Industrial-strength, rotational molded construction transports heavy loads with ease. Heavy-duty welded fork pockets allow for easy transportation by forklift. Compatible with 42" or 48" long forks. Easy to maneuver and dump contents; constant force design allows for controlled dumping by one person. Inset wheels prevent damage to interior surfaces and equipment. Smooth surface is easy to clean and resists pitting and corroding. Black. 1,250-lb. x 1 cubic yard capacity. (Optional lid sold separately.) 72¼ x 33½ w x 43¾h. Shpg. wt. 124 lbs. ◆RCP 1315-42 BLA Each 1301.92

C Tilt Truck Lids

Domed, hinged lid conceals loads without reducing capacity. Black.

No.	For RCP Model	Shpg. Wt.	Each
◆RCP 1307 BLA	1304, 1305, 1306	23.3 lbs.	176.72
◆RCP 1317 BLA	1314, 1315, 1315-42, 1316	24 lbs.	240.52

D Tilt Trucks

Sturdy, plastic construction. Smooth and seamless, one-piece molded truck bodies with reinforced lip are rounded and easy to clean. 4" center swivel back caster provides easy maneuvering. Durable, one-piece, 10" blow-molded polypropylene wheels offer low maintenance and protect surroundings. Powder coated steel frame for corrosion resistance. Black.

No.	Capacity	Size (L x W x H)	Shpg. Wt.	Each
½ Cubic Yard ◆RCP 9T17 BLA	300 lb.	56¾ x 28 x 38¾	46.3 lbs.	574.56
1 Cubic Yard ♦RCP 9T18 BLA	600 lb.	721/4 x 331/2 x 431/4	98.6 lbs.	784.32

■ Big Wheel[™] Utility Cart

Heavy-duty structural foam construction hauls up to 300 lbs. Durable, one-piece tub construction. Reinforced ribbing provides added impact resistance. Smooth, easy-to-dump, easy-to-clean pan. Level capacity $7 \frac{1}{2}$ cubic feet. Comfortable, molded, structural foam handles. Steel axle and large 20 x $2 \frac{1}{4}$ wheels with pneumatic tires. Black. $32 \frac{3}{4}$ w x $57 \frac{1}{2}$ d x $28 \frac{1}{4}$ h. Shgg. wt. 45 lbs.

♦RCP 5642 BLA **Each 405.33**















PLATFORM TRUCKS

A Heavy-Duty Platform Trucks

Structural foam platform with tough honeycomb construction supports heavy loads and won't rust, dent or splinter. Removable, black powder coated steel handle has two cross braces to keep materials on deck. Four casters, two swivel. Black.

No.	Capacity	Shpg. Wt.	Each
36 x 24 Platform			
♦RCP 4406 BLA	1,000 lb.	63 lbs.	699.19
48 x 24 Platform			
♦RCP 4433 BLA	500 lb.	70 lbs.	643.47
♦RCP 4436 BLA	1,000 lb.	78 lbs.	757.44
60 x 30 Platform			
♦RCP 4461 BLA	500 lb.	87 lbs.	858.81
♦RCP 4466 BLA	1,000 lb.	88 lbs.	912.02
♦RCP 4471 BLA	2,000 lb.	101 lbs.	1152.68

B Home and Office Carts

Three-position handle moves upright for pushing, angles for pulling or folds flat for use as a dolly or for storage. Structural foam platform won't rust, dent or bend. 500-lb. capacity model has ergonomic handle for easier movement and 5" dia. casters for extra stability. Nonskid platform is 20% x 31% (35½ with handle flat). Four nonmarking casters, two swivel. Black.

Capacity	Shpg. Wt.	Each
250 lb.	21 lbs.	159.20
500 lb.	25 lbs.	191.64
	250 lb.	250 lb. 21 lbs.

Items with this symbol require assembly.



· Heavy-gauge welded tubular steel frames

Two-Wheel Hand Trucks

Large 7 x 14 beveled steel toe plate for big loads. 500-lb. capacity. Steel stair glides. 10 x 2¾ solid rubber tires. Green enamel finish.

No.	Overall Size	Shpg. Wt.	Each
☐ Continuous Handle			
WES 656Z2	21¾w x 49h	34 lbs.	319.22
■ Loop Handle			
WES 626DZ2	21¾w x 50½h	34 lbs.	325.82

■ Two-Way Convertible Truck

Converts easily from a two-wheel, 400-lb. capacity hand truck to a four-wheel, 500-lb. capacity platform truck. 7 x 14 beveled steel nose plate. Two 10 x 23/4 solid rubber tires, two 5" swivel casters. Green enamel finish. Overall 20w x 48h. Shpg. wt. 38 lbs. WES 65621Z2 Each 420.14

Did you know...

A hand truck is commonly known as a "Stack Truck" or as a trolley or sack truck in the United Kingdom. Hand trucks are sometimes used as baggage carts by porters in train stations. A dolly is comparable to a hand truck.





Rubbermaid Commercial Products

A Five-Drawer Mobile Workcenter

Heavy-duty worksurface supports up to 250 lbs. Five storage drawers for tools, supplies and more. Tabletop bins keep small parts within reach. Built-in cord wrap allows neat storage of power tools or work lights. Locking bar. Polypropylene. Four swivel casters (two locking). Black/Red. 32.6w x 19.8d x 33.5h. Shpg. wt. 76.3 lbs. ♦RCP 7734 BLA Each 458.28

TRADES CARTS

Perfect for facility maintenance work. Structural foam construction. Ergonomic top surface provides a handy work area for items weighing up to 180 lbs. Bottom shelf holds up to 150 lbs. Total cart capacity 450 lbs. (including drawers). Four removable parts boxes for assorted parts and hardware. Two storage drawers hold supplies. Molded-in, wraparound handle features storage bin for small tools and parts. Mounting bracket serves as cord wrap or holds wastebasket. 5" nonmarking swivel casters (two locking). Black. 38w x 191/4d x 333/8h.

B Trades Cart

Two shelves. Shpg. wt. 50.3 lbs. RCP 6180 BLA

Each 456.93

C Trades Cart with Locking Cabinet

Fully enclosed, lockable storage compartment keeps costly tools and sensitive materials secure. Shpg. wt. 68 lbs. RCP 6180-88 BLA Each 644.02

ltems with this symbol require assembly.







Rubbermaid Commercial Products

HEAVY-DUTY UTILITY CARTS

- Multiple-duty carts for use in warehouses, mailrooms, conference rooms and maintenance facilities
- Heavy-duty plastic won't rust, dent, chip or peel
- · Lightweight for easy maneuverability and quiet operation
- Rounded corners mean no sharp edges to nick walls or furniture

A Heavy-Duty Service/Utility Carts

Structural foam construction, 500-lb. capacity. Two tray-style shelves, cup holder and storage slot to stay organized. 5" molded-in ergonomic full round handle for comfort. Nonmarking casters (two swivel). 33¼" high.

No.	Color	Size (W x D)	Shpg. Wt.	Each
RCP 4500-88 BEI	Beige	171/8 x 391/4	32 lbs.	245.10
RCP 4500-88 BLA	Black	171/8 x 391/4	32 lbs.	245.10
RCP 4520-88 BEI	Beige	251/8 x 451/4	45 lbs.	278.68
RCP 4520-88 RLA	Black	257/s x 451/s	45 lbs	278 68

B Flat Shelf Utility Carts

Structural foam construction, 500-lb. capacity. Flat shelves provide a smooth worksurface and allow easy loading. Molded-in wraparound handle with convenient storage bin. Front mounting bracket holds wastebasket, extension cord or power strip. 5" nonmarking casters. 33% "high. &

No.	Color	Size (W x D)	Shpg. Wt.	Each
RCP 4505 BEI	Beige	37%₀ x 19⅓	33 lbs.	262.20
RCP 4505 BLA	Black	37%₁₀ x 191⁄₅	33 lbs.	262.20
RCP 4525 RFI	Reine	439/10 x 253/5	43 lbs	291 34

C Service/Utility Carts

Structural foam construction, 300-lb. capacity. Two tray-style shelves securely hold contents. Molded-in handle with convenient storage compartments. 4" nonmarking swivel casters. Easy assembly. Black. 31½" high. 😵

No.	Size (W x D)	Shpg. Wt.	Each
RCP 9T66 BLA	16 x 34	361/4 lbs.	198.58
RCP 9T67 BLA	24 x 40	42¾ lbs.	200.36

Instrument Cart

• For use in hospitals, health care centers, labs and hotels/motels
For transporting instruments and supplies. Three smooth, easy-toclean shelves, sliding top drawer and two molded handles. Enclosed
bottom shelf has locking doors to secure contents. 300-lb. maximum
load capacity; 100 lbs. per shelf. Easy "pound-together" assembly.
Gray with nonmarking casters. 405/w x 20d x 3713/16h.
Shpg. wt. 511/2 lbs. \$\infty\$
RCP 4094 GRA

Fach 539.60

Three-Shelf AV/Equipment Cart, Lockable Enclosed Shelf

300-lb. total load capacity (100 lbs. per shelf). Sized to carry large loads. Rounded corners won't damage walls. Upscale appearance ideal for institutional, warehouse or front office use. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle. Quiet, nonmarking casters. Comfortable, rounded handles have molded-in storage bins for small items. Black. 405/w x 205/4d x 377/sh. Shpg. wt. 52 lbs.

ltems with this symbol require assembly.

Weight Capacity

The maximum weight that this product can accommodate.

Rubbermaid Commercial Products



UTILITY CARTS

- · Sized to carry large loads and reduce return trips
- · Rounded corners won't damage walls

Upscale appearance is ideal for institutional, warehouse or front office use. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle with quiet, nonmarking casters. Comfortable, rounded handles have molded-in storage bins for small items.

No.	Color	Shpg. Wt.	Each		
▲ 3-Shelf Utility Cart, Open All Sides—300-lb. total load capacity					
(100 lbs. per shelf). 40%w x 20d x 371¾6h. 🍪					
RCP 4091 CRE	Off-White	46 lbs.	334.42		
RCP 4091 BLA	Black	46 lbs.	334.42		
B 4-Shelf Utility Cart, Open All Sides—300-lb. total load capacity					
(75 lbs. per shelf). 40%w x 20d x 51h. 😵					
RCP 4096 BLA	Black	52 lbs.	438.28		
■ 3-Shelf Utility Cart, Enclosed On 3 Sides—300-lb. total load capacity					
(100 lbs. per shelf). 40%w x 20d x 3713/16h. 😵					
RCP 4093 CRE	Off-White	51 lbs.	539.60		
RCP 4093 BLA	Black	51 lbs.	539.60		

THREE-SHELF UTILITY/SERVICE CARTS

- Quiet operation
- Dual-molded handles; nonmarking swivel casters
- · Easy-to-clean smooth surfaces

☐ Three-Shelf Utility Cart with Brushed Aluminum Uprights

Ideal for offices or foodservice. 200-lb. total load capacity. Shelves have slight lip on three sides; one flat side for easy loading. 4" diameter casters. Assembles easily in minutes. 18%w x 33%d x 37%h. Shpg. wt. 30 lbs.

 RCP 3424-88 BLA
 Black
 Each
 287.54

 RCP 3424-88 PLA
 Platinum
 Each
 287.54

■ Three-Shelf Service Cart with Brushed Aluminum Uprights

Ideal for office use. 100-lb. total load capacity. Shelves have one flat side for easy loading; lip on three sides. 3" diameter swivel casters. Easy to assemble. Beige. 161/4w x 311/2d x 36h. Shpg. wt. 211/5 lbs. & RCP 9165-71 BEI

■ Three-Shelf Utility Cart with Enclosed End Panels

Ideal for offices or foodservice. Flat shelves. Enclosed on two sides. 300-lb. total load capacity. 4" diameter casters. Platinum. 18w x 31d x 37½h. Shpg. wt. 38.6 lbs. &

RCP 3355-88 PLA **Each 450.94**

UTILITY CART BINS

Handy bins convert utility carts to busing systems. Top rim has a lip which rests on cart beneath the handle. For RCP 3355-88, 3424-88, 4091, 4093, 4094, 4095 and 4096 Utility Carts.

G Refuse Bin

8-gallon capacity. Black. 17w x 12d x 22h.
RCP 3353-88 BLA **Each 84.60**

Utility Bin

4-gallon capacity. Black. 17w x 12½d x 10½h.
RCP 3354-88 BLA **Each 40.36**

😵 Items with this symbol require assembly.



The maximum weight that this product can accommodate.









Rubbermaid Home Products



ROUGHNECK™ MODULAR OUTDOOR STORAGE SHEDS

- Freestanding and weather resistant
- . Durable double-wall resin panels lock together quickly and easily
- Heavy-duty structural foam floor has angled entry ramp
- · Easily assembles with basic tools
- Hasp is padlockable (padlock not incl.)

Structural foam floor supports up to 1,300 lbs. Sheds have molded-in grooves to accommodate up to six wood shelves (shelves not incl.). Molded-in anchor grooves permit anchoring into the ground.

A Vertical Double Deep

Two lockable front doors for easy access. 6-ft. interior height for walk-in accessibility. Sandstone/Olive. 163 cu. ft. capacity. 66w x 72d x 78h. Shpg. wt. 253.1 lbs.

♦RHP 3673

Each 1489.28

How to choose an outdoor storage shea

B Vertical

Two lockable front doors. 6-ft. interior height provides walk-in accessibility. Sandstone/Olive. 74 cu. ft. capacity. 66w x 36d x 78h. Shpg. wt. 179 lbs.

♦RHP 3667

Each 965.30

[Items with this symbol require assembly.

1. What size do you need?

The storage unit should be wide and tall enough to accommodate the largest item you plan to store. Strong, durable flooring supports high weight capacity, while double doors offer the widest entry.

2. What features are available?

For equipment with wheels, consider a unit with an angled entry ramp. Locking units offer increased security for valuable equipment. If you plan to store many small items, consider a shed with molded-in grooves to accommodate multiple shelves.

3. Which access type is best?

Sliding lids and high ceilings offer walk-in access. For multipurpose storage, units with top-opening lids and double doors give you access alternatives.









OUTDOOR STORAGE SHEDS

- All structures are freestanding and weather resistant
- Interlocking double-wall blow-molded panels for strength and durability
- Tough, durable floor included
- Easily assembles in less than 30 minutes
- Sheds have hasp for a padlock (not incl.)

A Large Vertical

Eight interlocking panels. Molded-in grooves for three shelves (not incl.). Molded-in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Sandstone/Olive. 52 cu. ft. capacity. 52w x 32d x 77h. Shpg. wt. 130 lbs. [1] Each 761.26 ♦RHP 3746



Storage sheds have been used throughout history as a place to hold livestock, food, tools and other supplies. Archaeological findings dating back to 330-280 B.C. include instructions for building a storage shed to store grain. Cave-dwelling peoples often used smaller caves or alcoves for storage. In ancient Egypt, grain was stored in underground silos, while early Europeans built sheds from mammoth tusks and skins.





B Large Horizontal

Six interlocking panels. Molded-in grooves for one shelf (not incl.). Lid prop bar included. Molded-in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Sandstone/Olive. 32 cu. ft. capacity. 56.5w x 32d x 48h. Shpg. wt. 92.81 lbs. [1]

♦RHP 3747 Each 608.14

C Horizontal

Seven interlocking panels. Molded-in grooves hold one shelf (not incl.). Includes lid prop bar. Sandstone/Olive. 18 cu. ft. capacity. 55w x 28d x 36h. Shpg. wt. 52 lbs. [1]

♦RHP 3748 Each 350.54

D Slide-Lid

Lid slides back for easy walk-in access. Ideal for storing bikes and lawn equipment. Structural foam floor supports up to 1,300 lbs. Sandstone/Olive. 92 cu. ft. capacity. 60w x 79d x 54h. Shpg. wt. 262.76 lbs. [1]

♦RHP 3752 Each 1135.46

[Items with this symbol require assembly.







2 Shelves, Double Doors



Rubbermaid Home Products

HEAVY-DUTY STORAGE CABINETS

- Easy to assemble—no tools required
- Solid bottom shelf with ventilated upper shelves
- All units are padlockable (padlock not incl.)

A Four-Shelf Cabinet

• Stores 50+ paint cans

Supports up to 690 lbs. Double doors. Mica/Charcoal. 21.3 cu. ft. capacity. 36w x 18d x 723/oh. Shpg. wt. 553/4 lbs. &

♦RHP 7083

Each 271.40

B Two-Shelf Cabinet

• Stores 20+ paint cans

Supports up to 330 lbs. Solid bottom shelf with one ventilated upper shelf. Double doors. Mica/Charcoal. 10.7 cu. ft. capacity. 36w x 18d x 37%h. Shpg. wt. 291/10 lbs.

♦RHP 7085

Each 163.86

ltems with this symbol require assembly.

Tennsco

C 75" High Commercial Metal Shelving

350-lb. capacity per shelf (based on 36 x 18 shelf evenly distributed). Includes five 36w x 18d shelves, plus posts and shelf clips. Shelves adjust in 1" increments with compression clips. Medium Gray. Shpg. wt. 61 lbs. TNS 109694

_

With the popularity of design techniques such as feng shui, it's obvious that clearing clutter is a hot topic. To create your own clutter-free zone, display only the items you use regularly and store the rest. Stackable clear plastic boxes offer space-saving organization and provide at-a-glance identification of contents. Storage cabinets allow you to stow supplies out of sight, giving your space a much neater look.

B



Rubbermaid Commercial Products

Rubbermaid Home Products

ROUGHTOTE® STORAGE BOXES

- Durable polypropylene boxes keep contents contained, dry and dust-free
- Shatter-resistant down to 0°F
- . Built-in handles for easy lifting and carrying

A Roughtote® Storage Box with Snap-On Lid

Stackable design saves valuable storage space. Snap-on lid keeps contents secure. 3-gallon capacity. Steel color. RHP 2213 STE Each 8.68

B Roughtote[®] Clear Storage Boxes

See-through clarity allows for easy identification of contents. Multiple sizes offer a variety of storage solutions. All units stack, maximizing storage space. Clear polypropylene with white lid.

No. Capacity		Each	
RHP 2217 WHI	1.5 Gallon	3.14	
RHP 2220 WHI	3 Gallon	7.50	
RHP 2222 WHI	4.9 Gallon	10.98	
RHP 2221 WHI	7 Gallon	13.26	
RHP 2223 WHI	11 Gallon	16.54	

Max Latch® Jumbo Clear Storage Box

28-gallon see-through box features unique heavy-duty latches to keep contents secure. Lids and bases nest neatly to maximize storage space. Durable clear polypropylene with bluebird latch. RHP 5337 CYL Each 40.18

■ Palletote® Box

Heavy-duty, all-plastic construction with an easy-to-clean smooth surface. Ideal for versatile storage of goods. Meets USDA Dairy Sanitary Standards; Meat and Poultry Equipment Group Listed. Stackable. Gray. Optional lid RCP 1730 GRA sold separately. 2.6 cu. ft. 231/2w x 191/2d x 13h.

D

Shown with optional lid.

RCP 1732 GRA Each 63.30

Palletote® Lid—For RCP 1732 GRA (sold separately). **RCP 1730 GRA**

20.42 Each

