

Truly Dependable



JAGUAR PLASTICS™
Commercial Can Liners

Reliable for all occasions

Jaguar Plastics' Commercial Can Liners are the most versatile and durable trash bags on the market. We've got a bag for every situation you can throw our way. So whether you're throwing away food scraps or metal scraps, we've got this one "in the bag".

Rugged, durability...it's in the bag

Our products go through extensive testing to ensure quality and performance. You've tried to rest, it's time to use the best!

Jaguar Plastics...because trash should be the least of your worries



Bags & Can Liners

Can Liners



A

JAGUAR PLASTICS
Commercial Can Liners

Jaguar Plastics

COMMERCIAL CAN LINERS

- Star seal bottom helps prevent leakage
- Made from high-quality blended resins for superior strength and puncture resistance

A Black, Linear Low-Density, Bulk Pack

No.	Gal. Cap.	Size	Mil Gauge	Case Qty.	Case
Light Grade					
JAG L2423L	10	24 x 23	.35	500	25.08
JAG L2432L	15	24 x 32	.35	500	35.96
Heavy Grade					
JAG L3036H	20-30	30 x 36	.65	200	35.84
JAG L3339H	33	33 x 39	.60	200	39.12
Extra-Heavy Grade					
JAG L4046H	40-45	40 x 46	.70	100	31.34
JAG L3858H	60	38 x 58	.70	100	36.90



B

B White

No.	Gal. Cap.	Size	Mil Gauge	Case Qty.	Case
Medium Grade					
JAG W2423X	10	24 x 23	.50	500	35.98
JAG W2432X	15	24 x 32	.50	500	50.12
Extra-Heavy Grade					
JAG VW3036X	20-30	30 x 36	.70	200	39.62
JAG VW3339X	33	33 x 39	.70	150	34.34
JAG VW4046X	40-45	40 x 46	.70	100	32.02
JAG VW4347X	56	43 x 47	.75	100	34.94
JAG VW3858X	60	38 x 58	.70	100	38.40
XX-Heavy Grade					
JAG W3036X	20-30	30 x 36	.90	100	24.76
JAG W3339X	33	33 x 39	.90	100	28.34
JAG W4046X	40-45	40 x 46	.90	100	41.00
JAG W4347X	56	43 x 47	.90	100	45.14
JAG W3858X	60	38 x 58	.90	100	49.16



C

C "Cub," Roll Liners

No.	Gal. Cap.	Size	Mil Gauge	Case Qty.	Case
Medium Grade, White					
JAG RW2432X	15	24 x 32	.50	250	27.56
XX-Heavy Grade					
JAG RW3036X	20-30	30 x 36	.90	75	19.90
JAG RW3339X	33	33 x 39	.90	75	23.72
JAG RW4046X	40-45	40 x 46	.90	50	22.42
JAG RW3858X	60	38 x 58	.90	45	24.10
Super Grade, Gray "Granite"					
JAG RG3858G	60	38 x 58	1.3	40	31.00



D

D Gray "Granite," Super Grade

No.	Gal. Cap.	Size	Mil Gauge	Case Qty.	Case
JAG G3339G	33	33 x 39	1.3	100	41.36
JAG G4046G	40-45	40 x 46	1.3	100	59.16
JAG G4347G	56	43 x 47	1.3	100	65.20
JAG G3858G	60	38 x 58	1.3	100	71.14





A

Jaguar Plastics



A Low-Density Repro Can Liners, Black

Flat bottom construction holds up to 30% more than star bottom bags. Meets Scientific Certification Systems (SCS) standards for environmental preferability. Meets government Comprehensive Procurement Guidelines for recycled liners—100% recycled plastics, 10% post-consumer. Individually folded bags dispense one-at-a-time for ease of use and portion control. Contains no heavy-metal additives. ♻️

No.	Gal. Cap.	Size	Mil Gauge	Case Qty.	Case
Super-Heavy Grade					
JAG R3339H	31-33	33 x 39	1.5	150	49.06
JAG R4046H	40-45	40 x 46	1.5	100	46.84
JAG R4347H	56	43 x 47	1.5	100	51.32
JAG R3858H	55-56	38 x 58	1.5	100	56.04
Super/Extra Heavy Grade —Suitable for the toughest trash applications.					
JAG R3339HH	31-33	33 x 39	2.0	150	65.36
JAG R4046HH	40-45	40 x 40	2.0	100	62.28
JAG R4347HH	56	43 x 47	2.0	100	68.52
JAG R3858HH	55-60	38 x 58	2.0	100	74.72



C

Flexsol Packaging Corp.



C Linear Low-Density

Star seal bottom prevents vacuum at bottom of container that can restrict easy lifting. All resins are 100% recyclable; inks and colorants are heavy-metal free.

No.	Gal. Cap.	Size	Mil Gauge	Case Qty.	Case
Light-Grade, Brown					
ESS EPM24BRN	10	24 x 23	.35	500	29.56
ESS EPM33BRN	15	24 x 32	.35	500	43.84
ESS EPM37BRN	20-30	30 x 36	.44	250	38.22
Extra-Heavy Grade, White —(Not shown.)					
ESS ST39	33	33 x 39	.80	150	44.82
ESS ST60	60	38 x 58	.80	100	52.98



B

B Health Care Low Density Super Grade

For infectious waste and infectious linen. Star seal bottom helps prevent leakage. Made from high-quality blended resins for superior strength and puncture resistance. 1.3 mil.

No.	Gal. Cap.	Size	Color	Case Qty.	Case
JAG IW2423R	10	24 x 23	Red	500	90.02
JAG IW2432R	15	24 x 32	Red	250	60.36
JAG IW3339R	33	33 x 39	Red	150	57.62
JAG IW4046R	40-45	40 x 46	Red	100	54.90
JAG IW3658R	55	36 x 58	Red	100	65.16
JAG IL3043Y	20	30 x 43	Yellow	200	76.86



D

D Economy Ecosac, Black

Star seal bottom prevents vacuum at bottom of container that can restrict easy lifting. All resins are 100% recyclable; inks and colorants are heavy-metal free.

No.	Gal. Cap.	Size	Mil Gauge	Case Qty.	Case
XX-Heavy Grade					
ESS ECO48H	40-45	40 x 48	1.0	100	48.16
ESS ECO60H	55	38 x 60	1.0	100	58.58
Super-Heavy Grade					
ESS ECO40XH	33	33 x 39	1.5	150	72.68
ESS ECO48XH	40-45	40 x 48	1.5	100	72.14
ESS ECO47XH	56	43 x 48	1.5	100	103.00
ESS ECO60XH	55	38 x 60	1.5	100	113.66
Super/Extra Heavy-Grade					
ESS ECO60SXH	55	38 x 60	2.0	50	58.58



A



B

Rubbermaid Commercial Products



■ Linear Low-Density

A Tuffmade Polyliner® Low-Density Bags

Strong, durable liners prevent tears, eliminate double-bagging. Extra-heavy grade. Star bottom prevents leaks. Continuous tubular construction—no side seams to rupture. Gray color hides contents. On coreless rolls. Perforated for easy tear-off and dispensing. Twist ties included.

No.	Gal. Cap.	Size	Mil Gauge	Case Qty.	Case
RCP 5011-88 GRA	55	39 x 48	2.0	100	193.48
RCP 5013-88 GRA	56	43 x 47	2.0	100	206.88

Select the right plastic type for your application:

Linear Low Density (LLD)—Multipurpose can liners recommended for sharper objects and tougher transport conditions. Greater tear resistance compared to HD liners. Offers good puncture resistance and load capacity.

High Density (HD)—Much thinner than LLD liners, yet can hold the same or greater weight. Good tear resistance. Better puncture resistance and load capacity when compared to LLD liners.

FYI

Inteplast Group



■ High-Density

B Commercial Can Liners, Value Packs

ISO registered facilities ensure superior quality and consistency. Made from Formosa resins for reliability and consistency. Star-sealed bottom design distributes weight evenly—creates a seal up to eight times stronger than the film itself. Innovative “clamshell” box with E-Z identification code number system to eliminate confusion. Compact, coreless interleaved rolls are designed for effortless “one-at-a-time” bag dispensing.

No.	Gal. Cap.	Size	Micron Gauge	Bags/ Roll	Rolls/ Case	Case
Natural						
IBS VALH2433N8	12-16	24 x 31	7	50	20	46.02
IBS VALH3037N10	20-30	30 x 36	9	25	20	38.22
IBS VALH3037N13	20-30	30 x 36	11	25	20	46.00
IBS VALH3340N11	33	33 x 39	10	25	20	50.54
IBS VALH3340N13	33	33 x 39	11	25	20	55.00
IBS VALH3340N16	33	33 x 39	14	25	10	35.30
IBS VALH3660N12	55	36 x 58	11	25	8	35.60
IBS VALH3660N14	55	36 x 58	12	25	8	39.60
IBS VALH3660N16	55	36 x 58	14	25	8	45.60
IBS VALH3860N14	60	38 x 58	12	25	8	41.50
IBS VALH3860N16	60	38 x 58	14	25	8	48.00
IBS VALH3860N22	60	38 x 58	19	25	6	48.20
IBS VALH4048N12	40-45	40 x 46	11	25	10	40.00
IBS VALH4048N14	40-45	40 x 46	12	25	10	44.00
IBS VALH4048N16	40-45	40 x 46	14	25	10	50.00
IBS VALH4348N12	55-60	43 x 46	11	25	8	34.00
IBS VALH4348N14	55-60	43 x 46	12	25	8	37.20
IBS VALH4348N16	55-60	43 x 46	14	25	8	44.00
Black						
IBS VALH3860K22	60	38 x 58	19	25	6	57.84
IBS VALH4048K22	40-45	40 x 46	19	25	6	43.70
IBS VALH4348K22	55-60	43 x 46	19	25	6	44.40





Inteplast Group

A COMMERCIAL CAN LINERS

- ISO registered facilities ensure superior quality and consistency
- Made from Formosa resins for reliability and consistency
- Star-sealed bottom design distributes weight evenly—creates a seal up to eight times stronger than the film itself
- Innovative “clamshell” box with E-Z identification code number system to eliminate confusion

No.	Gal. Cap.	Size	Micron Gauge	Bags/ Roll	Rolls/ Case	Case
PERFORATED ROLL						
High-Density, Natural						
IBS EC171806N	4	17 x 18	6	50	40	31.94
IBS EC202206N	7	20 x 22	6	50	40	45.76
IBS EC242406N	7-10	24 x 24	6	50	20	33.56
IBS S242408N	7-10	24 x 24	8	50	20	42.70
IBS EC2424N	7-10	24 x 24	5	50	20	25.78
IBS EC243306N	12-16	24 x 33	6	50	20	41.14
IBS EC2433N	12-16	24 x 33	5	50	20	34.54

High-Density, Black						
IBS EC242406K	7-10	24 x 24	6	50	20	29.98
IBS S243308K	12-16	23 x 33	8	50	20	58.62
IBS EC243306K	12-16	24 x 33	6	50	20	41.92

INTERLEAVED ROLL—Compact, coreless interleaved rolls are designed for effortless “one-at-a-time” bag dispensing.

High-Density, Natural						
IBS S334013N	33	33 x 40	13	25	20	73.82
High-Density, Black						
IBS S334011K	33	33 x 40	11	25	20	62.30
IBS S334016K	33	33 x 40	16	25	10	43.62
IBS S366012K	55	36 x 60	12	25	8	40.84
IBS S366017K	55	36 x 60	17	25	8	61.04
IBS S386012K	60	38 x 60	12	25	8	46.92
IBS S386014K	60	38 x 60	14	25	8	53.58
IBS S386017K	60	38 x 60	17	25	8	64.52
IBS S386022K	60	38 x 60	22	25	6	62.98
IBS S404812K	40-45	40 x 48	12	25	10	49.50
IBS S404816K	40-45	40 x 48	16	25	10	63.56
IBS S404817K	40-45	40 x 48	17	25	10	67.62
IBS S404822K	40-45	40 x 48	22	25	6	52.98
IBS S434816K	55-60	43 x 48	16	25	8	54.84
IBS S434822K	55-60	43 x 48	22	26	6	57.06

No.	Gal. Cap.	Size	Micron Gauge	Bags/ Roll	Rolls/ Case	Case
Heavy-Duty, Natural						
IBS S242406N	7-10	24 x 24	6	50	20	35.56
IBS S243306N	12-16	24 x 33	6	50	20	48.92
IBS S243308N	12-16	24 x 33	8	50	20	58.62
IBS S303708N	20-30	30 x 37	8	25	20	40.92
IBS S303710N	20-30	30 x 37	10	25	20	47.68
IBS S303713N	20-30	30 x 37	13	25	20	61.98
IBS S303716N	20-31	30 x 37	16	25	20	75.38
IBS S334011N	33	33 x 40	11	25	20	62.30
IBS S334016N	33	33 x 40	16	25	10	44.72
IBS S334017N	33	33 x 40	17	25	10	47.94
IBS S366014N	55	36 x 60	14	25	8	52.04
IBS S366017N	55	36 x 60	17	25	8	62.60
IBS S386012N	60	38 x 60	12	25	8	48.46
IBS S386014N	60	38 x 60	14	25	8	54.92
IBS S386017N	60	38 x 60	17	25	8	66.16
IBS S386022N	60	38 x 60	22	25	6	64.54
IBS S404812N	40-45	40 x 48	12	25	10	49.50
IBS S404814N	40-45	40 x 48	14	25	10	57.84
IBS S404816N	40-45	40 x 48	16	25	10	65.14
IBS S404817N	40-45	40 x 48	17	25	10	69.30
IBS S434812N	55-60	43 x 48	12	25	8	42.50
IBS S434814N	55-60	43 x 48	14	25	8	49.78
IBS S434816N	55-60	43 x 48	16	25	8	56.20
IBS S434817N	55-60	43 x 48	17	25	8	59.68



Clorox Professional



GLAD® Drawstring Trash Bags

No clumsy twist ties needed—uses an easy-open/close drawstring. Strong, sturdy design.

B ForceFlex™ 13-Gal. Tall Kitchen Bags

Deep embossing increases elasticity. Patented stretching texture adds strength, prevents tearing. 24 x 28 size. 100 bags per case. .95 mil thickness.

CLO 70427 Case 26.06

C 13-Gal. Tall Kitchen Bags

24 x 28 size; .95 mil thickness. Three-ply strength. 100 bags per case. CLO 61024 Case 21.00

D 30-Gal. Outdoor Trash Bags

30 x 33 size; 1.1 mil thickness. Three-ply strength. 90 bags per case. CLO 70313 Case 25.78





A

Jaguar Plastics

JAGUAR PLASTICS
Commercial Can Liners

COMMERCIAL CAN LINERS

- Star seal bottom helps prevent leakage
- Made from high-quality blended resins for superior strength and puncture resistance

A High-Density, Bulk Pack, Natural Color

No.	Gal. Cap.	Size	Micron Gauge	Case Qty.	Case
Light Grade					
JAG H2424L	10	24 x 24	6	500	18.44
JAG H2433L	15	24 x 33	6	500	25.18
Medium Grade					
JAG H3340M	33	33 x 40	12	500	79.80
Heavy Grade					
JAG H4048H	40-45	40 x 48	13	200	49.18
JAG H3660H	55	36 x 60	13	200	54.22
JAG H3860H	60	38 x 60	13	200	56.92
Extra-Heavy Grade					
JAG H3037S	20-30	30 x 37	16	500	90.16
JAG H3340S	33	33 x 40	16	200	41.96
JAG H4048S	40-45	40 x 48	16	200	58.36
JAG H4348S	56	43 x 48	16	200	65.16
JAG H3860S	60	38 x 60	16	100	35.44



B

B High-Density, Coreless Rolls, Natural Color

No.	Gal. Cap.	Size	Micron Gauge	Bags/ Roll	Rls./ Case	Case
JAG RH2424L	10	24 x 24	6	50	20	36.66
JAG RH2433L	15	24 x 33	6	50	20	50.38
JAG RH3037S	20-30	30 x 37	16	25	20	90.16
JAG RH3340S	33	33 x 40	16	25	10	53.12
JAG RH4048H	40-45	40 x 48	13	25	10	61.54
JAG RH4048S	40-45	40 x 48	16	25	10	72.58
JAG RH4348S	56	43 x 48	16	25	8	65.16
JAG RH3660H	55	36 x 60	13	25	8	54.22
JAG RH3860H	60	38 x 60	13	25	8	56.92
JAG RH3860S	60	38 x 60	16	25	8	71.92



C

C Industrial Drum Liners, Rolls

One roll per case.

No.	Size	Mil Gauge	Bags/Roll	Case
Clear				
JAG D38633CL	38 x 63	1.8	75	87.90
JAG D38634CL	38 x 63	2.7	50	87.90
JAG D3865	38 x 65	2.5	50	84.18
Black				
JAG D38634BN	38 x 63	2.7	50	87.90

Can Liner Color—Black, white and natural are the most common can liner colors. The “see through” quality of natural bags makes them ideal for environments where transparency is required for security purposes. If transparency is not required, black or white bags are preferred. Special color can liners (red, yellow, blue, brown, gray) can be used for at-a-glance content identification. For example, red bags are often used to indicate hazardous waste while blue bags may identify recyclable waste.

Can Liner Roll Types—A *cored roll* consists of can liners that are rolled together on top of a cardboard cylinder (similar to paper towel rolls). A *coreless roll* consists of can liners that are tightly rolled together without a cardboard cylinder. The can liners on both cored and coreless rolls are connected by perforated edges. The end user separates the bags by tearing along the perforation. An *interleaved coreless roll* is similar to a coreless roll but liners are interleaved for nonperforated dispensing.

FVI

STRENGTH GRADE KEY

Light—For crumpled papers, cups, light waste, etc.

Medium—For packaging waste, wet paper, etc.

Heavy—For light wood, metal scraps, wet cardboard, etc.

Extra-Heavy—For heavy, sharp or wet trash.

Super/Extra-Heavy—For heaviest cleanup jobs in warehouse, cafeteria or facility grounds.



Talkin' trash...



Flex Sol Packaging Corp.

- Star seal bottom prevents vacuum at bottom of container that can restrict easy lifting
- All resins are 100% recyclable; inks and colorants are heavy-metal free

A High-Density, Clear

No.	Gal. Cap.	Size	Micron Gauge	Case Qty.	Case
ESS HDL24CLR	10	24 x 24	6	1,000	45.96
ESS HDL33CLR	15	24 x 33	6	1,000	56.52
ESS HDM33CLR	15	24 x 33	8	1,000	68.84
ESS HDM37CL	20-30	30 x 37	10	500	65.16
ESS HDM48CLR	40-45	40 x 48	12	250	57.54
ESS HDH48CLR	40-45	40 x 48	14	250	67.38
ESS HDX48CLR	40-45	40 x 48	17	250	82.46
ESS HDX60CLR	55	36 x 60	17	200	73.50
ESS HDH45CLR	56	43 x 48	14	200	57.54
ESS HDX45CLR	56	43 x 48	17	200	72.22
ESS HDX62CLR	60	38 x 60	17	200	79.04

B High-Density, Coreless Rolls, Clear

No.	Gal. Cap.	Size	Micron Gauge	Case Qty.	Case
ESS BR2424L	10	24 x 24	6	1,000	46.08
ESS BR2433L	15	24 x 33	6	1,000	56.64
ESS BR2433M	15	24 x 33	8	1,000	68.72
ESS BR3037M	20-30	30 x 37	8	500	53.72
ESS BR3037MP	20-30	30 x 37	10	500	65.16
ESS BR3037H	20-30	30 x 37	13	500	98.12
ESS BR3340M	33	33 x 40	12	500	79.82
ESS BR3340X	33	33 x 40	17	250	56.22
ESS BR4048M	40-45	40 x 48	12	250	57.54
ESS BR4048H	40-45	40 x 48	14	250	67.38
ESS BR4048X	40-45	40 x 48	17	250	82.46
ESS BR4348X	56	43 x 48	17	200	72.22
ESS BR3860X	60	38 x 60	17	200	107.64
ESS BR3860SX	60	38 x 60	22	150	102.74

C High-Density, Coreless Rolls, Black

No.	Gal. Cap.	Size	Micron Gauge	Case Qty.	Case
ESS BRX48BK	40-45	40 x 48	17	250	82.46
ESS BRSX48B	40-45	40 x 48	22	150	63.60
ESS BRSX62B	60	38 x 60	22	150	75.54

BOTTOM SEAL TYPES:

Star Seal—Designed without gussets, this is the most common type of seal. The star seal eliminates gaps along the seal, allowing the bag to conform more easily to the shape of the waste container. Star seal liners more evenly distribute weight inside the bag, maximize carrying capacity and help eliminate leaks.

Gusset Seal—Designed with both sides tucked in to form gussets, this seal is found on flat-style bags. Gusset seal liners are sealed through four layers of film where indented and just two layers of film in the middle, creating a potentially weak bottom seal.

Flat Seal—Designed with a bottom seal to create a two-dimensional bag, much like a pillowcase. Flat seals are strong along the bottom, but may leak from the corners. Liners with a flat seal do not conform as well to the shape of most containers.

FYI

STRENGTH GRADE KEY

Light—For crumpled papers, cups, light waste, etc.

Medium—For packaging waste, wet paper, etc.

Heavy—For light wood, metal scraps, wet cardboard, etc.

Extra-Heavy—For heavy, sharp or wet trash.

Super/Extra-Heavy—For heaviest cleanup jobs in warehouse, cafeteria or facility grounds.



Find the perfect match...

Find the receptacle below that matches yours and note the liner size. Now you can choose the correct size liner in the strength you need from the selection on the previous pages.

Receptacle	Description	Liner Size
Rectangular 	Rectangular Wastebasket	
	Small, 3½ gal./13 qt.	24 x 23
	Medium, 7 gal./28 qt.	24 x 23
	Large, 10 gal./41 qt.	24 x 32
Round 	Round Wastebasket	
	7 gal./28 qt.	24 x 23
Untouchable®		
Half Round 	Untouchable®	
	Half Round, 21 gal.	33 x 39
Round 		
	Round, 22 gal.	30 x 32
Square 		
	Square, 19 gal.	30 x 36
	Square, 23 gal.	30 x 36
Slim Jim® 	Slim Jim®	
	23 gal.	33 x 39
Slim Jim® Wall Mount 	Slim Jim® Wall Mount	
	15 gal.	33 x 39
Ranger® 	Ranger®	
	35 gal.	38 x 58
	45 gal.	43 x 47
		43 x 48
Wastemaster™ 	Wastemaster™	
	16 gal.	30 x 36
Marshal® 	Marshal®	
	15 gal.	30 x 36
	21 gal.	26 x 43
Medi-Can™ Step-On Round 	Medi-Can™ Step-On Can	
	Round, 3½ gal.	20 x 22
	Rectangular, 8 gal.	24 x 33
	Rectangular, 12 gal.	30 x 36
	Rectangular, 18 gal.	30 x 36
Step-On Rectangular 		
The Defender® Square 	The Defender® Step Can	
	Square, 12 gal.	24 x 33
	Square, 24 gal.	33 x 39

Receptacle	Description	Liner Size
Brute® Round 	Brute®	
	Round, 10 gal.	24 x 33
	Round, 20 gal.	30 x 36
	Round, 32 gal.	33 x 39
	Round, 44 gal.	40 x 46
	Round, 55 gal.	43 x 47
	Square, 28 gal.	40 x 46
	Square, 40 gal.	43 x 47
	Square, 48 gal.	43 x 48
	Square, 50 gal.	45 x 47
Brute® Square 		
Brute® Roll Out 	Brute® Roll Out	
	50 gal. (Without lid.)	45 x 47
Janitorial Cart 	Cart	
	Janitorial	33 x 39
Glutton® 	Glutton®	
	56 gal.	43 x 47
		43 x 48
Landmark™ Dome Top 	Landmark™ Dome Top	
	35 gal.	40 x 46
	50 gal.	43 x 47
Aspen 	Aspen	
	12 gal.	30 x 36
	24 gal.	18 x 32
	29 gal.	30 x 36
		30 x 37
Ash/Trash Receptacle 	Ash/Trash Receptacle	
	25 gal.	30 x 36
Drum 	Drum	
	55 gal.	38 x 63



UNDERSTANDING GAUGE THICKNESS

Gauge is a term used to describe thickness. Film thickness is no longer the standard for judging bag strength. Advanced resins and additives have allowed manufacturers to produce thinner, lighter can liners that are stronger than thicker bags made from lesser quality materials. Linear Low-Density Can Liners (LLD) are measured by mil thickness; High-Density Can Liners (HD) are measured by micron thickness.

- **Mil** (one thousandth of an inch) – One mil equals .001". Can liners range between .35 to 4.0 mils
- **Micron** – 25.4 microns equals .001". 1,000 microns (M) is 1mm. Can liners range between 5 to 24 microns.

GAUGE EQUIVALENTS

Static load (lifting strength) is the best way to choose bag strength. Below are the approximate gauge equivalents for static load:

Strength Grade	Linear Low-Density Mil Gauge	High-Density Micron Gauge
Light	.35-.44	5-9
Medium	.45-.57	10-12
Heavy	.58-.69	13-14
Extra-Heavy	.70-.89	15-17
XX-Heavy	.90-1.14
Super	1.15-1.39
Super-Heavy	1.4 & up	18-24

Strength Grade	Dry Weight Capacity (lbs.)	Wet Weight Capacity (lbs.)
----------------	----------------------------	----------------------------

HIGH-DENSITY

Light Grade

ESS HDL24CLR	15	5
ESS BR2424L	15	5
ESS HDL33CLR	15	5
ESS BR2433L	15	5
ESS HDM33CLR	20	10
ESS BR2433M	20	10
ESS BR3037M	20	10
IBS EC2424N	17	14
IBS EC2433N	17	14
IBS EC171806N	10	7.5
IBS EC202206N	10	7.5
IBS EC242406N	20	15
IBS EC242406K	20	15
IBS SR242406N	20	15
IBS EC243306N	20	15
IBS EC243306K	20	15
IBS S243306N	20	15
IBS VALH2433N8	22	15
IBS S242408N	25	19
IBS S243308N	25	19
IBS S243308K	25	19
IBS S303708N	25	19
IBS VALH3037N10	30	22.5
JAG H2424L	15	5
JAG RH2424L	15	5
JAG H2433L	20	10
JAG RH2433L	20	10

Medium Grade

ESS HDMP37CL	25	10
ESS BR3037MP	25	10
ESS BR3340M	45	25
ESS HDM48CLR	45	25
IBS S303710N	30	22.5
IBS VALH3340N11	30	22
IBS VALH3037N13	35	26
IBS VALH3340N13	35	26
IBS S334011N	35	26
IBS S334011K	35	26
IBS VALH3366N12	35	26
IBS VALH4048N12	35	26
IBS VALH4348N12	35	26
IBS VALH3660N14	50	37.5
IBS S366012K	50	37.5
IBS VALH3860N14	50	37.5
IBS S386012N	50	37.5
IBS S386012K	50	37.5
IBS VALH4048N14	50	37.5
IBS S404812N	50	37.5
IBS S404812K	50	37.5
IBS VALH4348N14	50	37.5
IBS S434812N	50	37.5
JAG H3340M	50	25

Strength Grade	Dry Weight Capacity (lbs.)	Wet Weight Capacity (lbs.)
----------------	----------------------------	----------------------------

HIGH-DENSITY (Cont.)

Heavy Grade

ESS BR3037H	50	30
ESS BR4048H	55	30
ESS HDH48CLR	55	30
ESS HDH45CLR	55	30
IBS S303713N	50	37.5
IBS S334014N	50	45
IBS VALH3340N16	60	45
IBS VALH3660N16	60	45
IBS S366014N	60	45
IBS VALH3860N16	60	45
IBS S386014N	60	45
IBS S386014K	60	45
IBS VALH4048N16	60	45
IBS S404814N	60	45
IBS S434814N	60	45
JAG H3660H	55	25
JAG RH3660H	55	25
JAG H3860H	55	25
JAG RH3860H	55	25
JAG H4048H	55	25
JAG RH4048H	55	25

Extra-Heavy Grade

ESS BR3340X	75	35
ESS HDX60CLR	75	35
ESS HDX62CLR	75	35
ESS BR3860X	75	35
ESS HDX48CLR	75	35
ESS BR4048X	75	35
ESS BRX48BK	75	35
ESS HDX45CLR	75	35
ESS BR4348X	75	35
IBS S303716N	75	56
IBS S334016N	75	56
IBS S334016K	75	56
IBS S404816N	75	56
IBS S401816K	75	56
IBS S434816N	75	56
IBS S434816K	75	56
IBS S334017N	75	56
IBS S366017N	75	56
IBS S366017K	75	56
IBS S386017N	75	56
IBS S386017K	75	56
IBS S404817N	75	56
IBS S404817K	75	56
IBS S434817N	75	56
JAG H3037S	70	35
JAG RH3037S	70	35
JAG H3340S	70	35
JAG RH3340S	70	35
JAG H3860S	70	35
JAG RH3860S	70	35

Strength Grade	Dry Weight Capacity (lbs.)	Wet Weight Capacity (lbs.)
----------------	----------------------------	----------------------------

HIGH-DENSITY (Cont.)

Extra-Heavy Grade (Cont.)

JAG H4048S	70	35
JAG RH4048S	70	35
JAG H4348S	70	35
JAG RH4348S	70	35
Super-Heavy Grade		
ESS BR3860SX	85	45
ESS BRX62B	85	45
ESS BRX48B	85	45
IBS VALH3860N22	90	67.5
IBS VALH3860K22	90	67.5
IBS VALH4048K22	90	67.5
IBS VALH4348K22	90	67.5
IBS S386022N	100	75
IBS S386022K	100	75
IBS S404822K	100	75
IBS S434822K	100	75

LOW-DENSITY

Light Grade

ESS EPM24BRN	10	5
ESS EPM33BRN	10	5
ESS EPM37BRN	20	10
JAG L2423L	10	5
JAG L2432L	10	5

Medium Grade

JAG W2423X	15	7
JAG W2432X	15	7
JAG RW2432X	15	7

Heavy Grade

JAG L3339H	40	20
JAG L3036H	40	20

Extra-Heavy Grade

ESS ST39	50	20
ESS ST60	50	20
JAG VW3036X	40	20
JAG VW3339X	40	20
JAG L3858H	40	20
JAG VW3858X	40	20
JAG L4046H	40	20
JAG VW4046X	40	20
JAG VW4347X	55	25

XX-Heavy Grade

ESS ECO48H	55	25
ESS ECO60H	55	25
JAG W3036X	55	25
JAG RW3036X	55	25
JAG W3339X	55	25
JAG RW3339X	55	25

Strength Grade	Dry Weight Capacity (lbs.)	Wet Weight Capacity (lbs.)
----------------	----------------------------	----------------------------

LOW-DENSITY (Cont.)

XX-Heavy Grade (Cont.)

JAG W3858X	55	25
JAG RW3858X	55	25
JAG W4046X	55	25
JAG RW4046X	55	25
JAG W4347X	55	25
JAG IW2423R	35	15
JAG IW2432R	45	20
JAG IL3043Y	75	35
JAG G3339G	75	35
JAG IW3339R	75	35
JAG IW3658R	75	35
JAG G3858G	75	35
JAG RG3858G	75	35
JAG G4046G	75	35
JAG IW4046R	75	35
JAG G4347G	75	35

Super-Heavy Grade

ESS ECO40XH	75	35
ESS ECO48XH	75	35
ESS ECO47XH	75	35
ESS ECO60XH	75	35
ESS ECO60SXH	80	45
JAG R3339H	75	35
JAG R3858H	75	35
JAG R4046H	75	35
JAG R4347H	75	35

INDUSTRIAL HIGH-DENSITY

Super Grade

JAG D38633CL	80	40
--------------	----	----

Super-Heavy Grade

JAG D3865	100	50
JAG D38634CL	100	50
JAG D38634BN	100	50
JAG R3339HH	100	50
JAG R3858HH	100	50
JAG R4046HH	100	50
JAG R4347HH	100	50

